




GOVERNMENT OF INDIA
MINISTRY OF SKILL DEVELOPMENT & ENTREPRENEURSHIP
DIRECTORATE GENERAL OF TRAINING

COMPETENCY BASED CURRICULUM

MACHINIST

(Duration: Two Years)

CRAFTSMEN TRAINING SCHEME (CTS)
NSQF LEVEL- 5



SECTOR-CAPITAL GOODS AND MANUFACTURING



Directorate General of Training

MACHINIST

(Engineering Trade)

(Revised in 2019)

Version: 1.2

CRAFTSMEN TRAINING SCHEME (CTS)

NSQF LEVEL - 5

Developed By

Ministry of Skill Development and Entrepreneurship

Directorate General of Training

CENTRAL STAFF TRAINING AND RESEARCH INSTITUTE

EN-81, Sector-V, Salt Lake City,

Kolkata – 700 091

www.cstaricalcutta.gov.in

CONTENTS

| S No. | Topics | Page No. |
|-------|--|----------|
| 1. | Course Information | 1 |
| 2. | Training System | 2 |
| 3. | Job Role | 6 |
| 4. | General Information | 7 |
| 5. | Learning Outcome | 10 |
| 6. | Assessment Criteria | 12 |
| 7. | Trade Syllabus | 20 |
| | Annexure I (List of Trade Tools & Equipment) | 46 |
| | Annexure II (List of Trade experts) | 65 |

1. COURSE INFORMATION

During the two-year duration, a candidate is trained on subjects- Professional Skill, Professional Knowledge, Engineering Drawing, Workshop Science & Calculation and Employability Skills related to job role. In addition to this, a candidate is entrusted to make/do project work and Extra Curricular Activities to build up confidence. The practical skills are imparted in simple to complex manner & simultaneously theory subject is taught in the same fashion to apply cognitive knowledge while executing task. The broad components covered under Professional skill subject are as below: -

FIRST YEAR – In this year, the contents covered are from safety aspect related to the trade, basic fitting operations viz., making, filing, sawing, chiseling, drilling, tapping, grinding to an accuracy of $\pm 0.25\text{mm}$. Making different fits viz., sliding, T-fit and square fit with an accuracy of $\pm 0.2\text{mm}$ & angular tolerance of 1° . Lathe operation on different shaped job and produce components by different turning operation including thread cutting.

The practical training starts with operation of slotting machine and making different components to accuracy of $\pm 0.04\text{ mm}$. Followed by different operation in conventional milling machine with extensive coverage of different operations viz., plain, face, angular, form, gauge, straddle milling with accuracy $\pm 0.02\text{ mm}$ like square thread cutting. Further advance turning operations with accuracy $\pm 0.04\text{ mm}$ is covered. Next, the grinding operation (both surface and cylindrical) is executed with accuracy of $\pm 0.01\text{mm}$.

SECOND YEAR -In this year, grinding of different cutting tools are covered in the beginning followed by advance milling operation like boring, gear cutting, spline etc. to accuracy $\pm 0.05\text{mm}$. Basic electrical equipment and sensors are also covered and CNC turning operation which covers starting from setting, operation and programming part covered for producing different components.

The CNC milling operation is covered in the beginning which include setting, operation and part programming to producing different component. In addition to this, the components like documentation, technical English, simple repair and maintenance work, machining of some complicated components like bevel gears, plate components, worm wheel, worm thread etc. to an accuracy of $\pm 0.05\text{mm}$.

2.1 GENERAL

The Directorate General of Training (DGT) under Ministry of Skill Development & Entrepreneurship offers a range of vocational training courses catering to the need of different sectors of economy/ Labour market. The vocational training programmes are delivered under the aegis of Directorate General of Training (DGT). Craftsman Training Scheme (CTS) with variants and Apprenticeship Training Scheme (ATS) are two pioneer programmes of DGT for strengthening vocational training.

Machinist trade under CTS is one of the most popular courses delivered nationwide through a network of ITIs. The course is of two years duration. It mainly consists of Domain area and Core area. The Domain area (Trade Theory & Practical) imparts professional skills and knowledge, while Core area (Workshop Calculation science, Engineering Drawing and Employability Skills) imparts requisite core skill & knowledge and life skills. After passing out of the training programme, the trainee is awarded National Trade Certificate (NTC) by DGT which is recognized worldwide.

Candidates broadly need to demonstrate that they are able to:

- Read & interpret technical parameters/documentation, plan and organize work processes, identify necessary materials and tools;
- Perform task with due consideration to safety rules, accident prevention regulations and environmental protection stipulations;
- Apply professional knowledge, core skills & employability skills while performing the job and machining work.
- Check the job/components as per drawing for functioning, identify and rectify errors in job/components.
- Document the technical parameters related to the task undertaken.

2.2 PROGRESSION PATHWAYS

- Can join industry as Technician and will progress further as Senior Technician, Supervisor and can rise up to the level of Manager.
- Can appear in 10+2 examination through National Institute of Open Schooling (NIOS) for acquiring higher secondary certificate and can go further for General/ Technical education.

- Can take admission in diploma course in notified branches of Engineering by lateral entry.
- Can join Apprenticeship programme in different types of industries leading to National Apprenticeship certificate (NAC).
- Can join Crafts Instructor Training Scheme (CITS) in the trade for becoming instructor in ITIs.
- Can join Advanced Diploma (Vocational) courses under DGT as applicable.

2.3 COURSE STRUCTURE:

Table below depicts the distribution of training hours across various course elements during a period of two years:

| S No. | Course Element | Notional Training Hours | |
|-------|---------------------------------------|-------------------------|----------------------|
| | | 1 st Year | 2 nd Year |
| 1 | Professional Skill (Trade Practical) | 1000 | 1000 |
| 2 | Professional Knowledge (Trade Theory) | 280 | 360 |
| 3 | Workshop Calculation & Science | 80 | 80 |
| 4 | Engineering Drawing | 80 | 80 |
| 5 | Employability Skills | 160 | 80 |
| | Total | 1600 | 1600 |

2.4 ASSESSMENT & CERTIFICATION

The trainee will be tested for his skill, knowledge and attitude during the period of course through formative assessment and at the end of the training programme through summative assessment as notified by the DGT from time to time.

a) The Continuous Assessment (Internal) during the period of training will be done by **Formative Assessment Method** by testing for assessment criteria listed against learning outcomes. The training institute has to maintain individual *trainee portfolio* as detailed in assessment guideline. The marks of internal assessment will be as per the formative assessment template provided on www.bharatskills.gov.in

b) The final assessment will be in the form of summative assessment. The All India Trade Test for awarding NTC will be conducted by Controller of examinations, DGT as per the guidelines. The pattern and marking structure is being notified by DGT from time to time. **The learning outcome and assessment criteria will be basis for setting question papers for final assessment. The examiner during final examination will also check individual trainee's profile as detailed in assessment guideline before giving marks for practical examination.**

2.4.1 PASS REGULATION

For the purposes of determining the overall result, weightage of 100% is applied for six months and one year duration courses and 50% weightage is applied to each examination for two years courses. The minimum pass percent for Trade Practical and Formative assessment is 60% & for all other subjects is 33%. There will be no Grace marks.

2.4.2 ASSESSMENT GUIDELINE

Appropriate arrangements should be made to ensure that there will be no artificial barriers to assessment. The nature of special needs should be taken into account while undertaking assessment. Due consideration should be given while assessing for teamwork, avoidance/reduction of scrap/wastage and disposal of scrap/wastage as per procedure, behavioral attitude, sensitivity to environment and regularity in training. The sensitivity towards OSHE and self-learning attitude are to be considered while assessing competency.

Assessment will be evidence based, comprising the following:

- Job carried out in labs/workshop
- Record book/ daily diary
- Answer sheet of assessment
- Viva-voce
- Progress chart
- Attendance and punctuality
- Assignment
- Project work

Evidences and records of internal (Formative) assessments are to be preserved until forthcoming examination for audit and verification by examination body. The following marking pattern to be adopted while assessing:

| Performance Level | Evidence |
|---|---|
| (a) Weightage in the range of 60 -75% to be allotted during assessment For performance in this grade, the candidate should produce work which demonstrates attainment of an acceptable standard of craftsmanship with occasional guidance, and due regard for safety procedures and practices. | <ul style="list-style-type: none"> • Demonstration of good skill in the use of hand tools, machine tools and workshop equipment. • 60-70% accuracy achieved while undertaking different work with those |

| | |
|---|--|
| | <p>demanded by the component/job.</p> <ul style="list-style-type: none"> • A fairly good level of neatness and consistency in the finish. • Occasional support in completing the project/job. |
| (b) Weightage in the range of 75%-90% to be allotted during assessment | |
| <p>For this grade, a candidate should produce work which demonstrates attainment of a reasonable standard of craftsmanship, with little guidance, and regard for safety procedures and practices.</p> | <ul style="list-style-type: none"> • Good skill levels in the use of hand tools, machine tools and workshop equipment. • 70-80% accuracy achieved while undertaking different work with those demanded by the component/job. • A good level of neatness and consistency in the finish. • Little support in completing the project/job. |
| (c) Weightage in the range of above 90% to be allotted during assessment | |
| <p>For performance in this grade, the candidate, with minimal or no support in organization and execution and with due regard for safety procedures and practices, has produced work which demonstrates attainment of a high standard of craftsmanship.</p> | <ul style="list-style-type: none"> • High skill levels in the use of hand tools, machine tools and workshop equipment. • Above 80% accuracy achieved while undertaking different work with those demanded by the component/job. • A high level of neatness and consistency in the finish. • Minimal or no support in completing the project. |

3. JOB ROLE

Machinist General; operates various types of power driven metal cutting or grinding machines for cutting and grinding metal. Studies drawings or measures out sample with appropriate measuring instruments to note different dimensions and sequence of operations required. Selects metal piece and marks it or gets it marked for machining operations required. Fastens metal in chuck, jig or other fixture and respective tool or cutter, according to sequence of operation, on appropriate machine (lathe, shaper, milling, slotting, drilling, grinding). Checks machine setting or sets it for stipulated machine operations. Selects machine feed and speed and starts machine. Controls flow of coolant (cutting lubricant) and manipulates hand wheels or applies automatic controls to feed tool to metal or metal to tool. Observes cutting or grinding both from marking and machine readings, checks for dimensions as necessary and removes parts when machining is completed, checks completed part with measuring instruments and gauges to ensure prescribed accuracy. Makes adjustments if necessary and repeats operations, as required, on same or other machines. May assist in setting up machine for repetitive work, change tools, make simple adjustments, clean and oil machine. Does process planning, tool and cutting parameters selection, programming, setup and operation for cutting parts on CNC vertical machining center and CNC lathe.

Grinder, General; grinds and smoothens metal surfaces to specified accuracy using one or more type of grinding machine. Examines drawings and other specifications of part to be ground. Selects grinding wheel of appropriate size, shape and abrasive quality and fastens it on spindle of machine. Mounts metal part accurately in position on machine using chucks, jigs, fixtures or between centres of head and tail stock of machine as required and sets it accurately either parallel or at angle in relation to grinding wheel as specified using appropriate devices and instruments necessary. Adjusts machine table, guides, stops and other controls to determine direction and limit of metal and grinding wheel movements. Selects grinding wheel speed and starts machine for grinding. Manipulates hand wheel or sets and starts automatic controls to bring grinding wheel in contact with work. Checks progress of grinding with measuring instruments and gauges for accuracy. May balance dress or change grinding wheel, stone or abrasive. May oil and clean machine.

Plan and organize assigned work, detect & resolve issues during execution. Demonstrate possible solutions and agree tasks within the team. Communicate with required clarity and understand technical English. Sensitive to environment, self-learning and productivity.

May be designated as **Machinist** according to nature of work done.

Reference NCO-2015:

- i) 7223.0500 – Mechanist, General/Machinist
- ii) 7224.0100 – Grinder, General

4. GENERAL INFORMATION

| | |
|--|---|
| Name of the Trade | MACHINIST |
| Trade Code | DGT/1016 |
| NCO - 2015 | 7223.0500, 7224.0100 |
| NSQF Level | Level – 5 |
| Duration of Craftsmen Training | Two years (3200 Hours) |
| Entry Qualification | Passed 10 th class examination with Science and Mathematics or its equivalent. |
| Minimum Age | 14 years as on first day of academic session. |
| Eligibility for PwD | LD, LC, DW, AA, LV, DEAF |
| Unit Strength (No. of Students) | 20 (There is no separate provision of supernumerary seats) |
| Space Norms | 130 Sq. m |
| Power Norms | 20 KW |
| Instructors Qualification for | |
| (i) Machinist Trade | <p>B.Voc/Degree in Mechanical Engineering from AICTE/UGC recognized Engineering College/university with one year experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>03 years Diploma in Mechanical Engineering from AICTE/recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two-year experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>NTC/NAC passed in the Trade of “Machinist” with three years experience in the relevant field.</p> <p><u>Essential Qualification:</u></p> <p>Relevant National Craft Instructor Certificate (NCIC) in any of the variants under DGT.</p> <p><i>Note: - Out of two Instructors required for the unit of 2(1+1), one</i></p> |

| | |
|--|---|
| | <p><i>must have Degree/Diploma and other must have NTC/NAC qualifications. However, both of them must possess NCIC in any of its variants.</i></p> |
| (ii) Workshop Calculation & Science | <p>B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>03 years Diploma in Engineering from AICTE/ recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>NTC/ NAC in any one of the engineering trades with three years' experience.</p> <p><u>Essential Qualification:</u></p> <p>National Craft Instructor Certificate (NCIC) in relevant trade</p> <p style="text-align: center;">OR</p> <p>NCIC in RoDA or any of its variants under DGT</p> |
| (iii) Engineering Drawing | <p>B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>03 years Diploma in Engineering from AICTE/ recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.</p> <p style="text-align: center;">OR</p> <p>NTC/ NAC in any one of the Mechanical groups (Gr-I) trades categorized under Engg. Drawing'/ D'man Mechanical / D'man Civil' with three years' experience.</p> <p><u>Essential Qualification:</u></p> <p>National Craft Instructor Certificate (NCIC) in relevant trade</p> <p style="text-align: center;">OR</p> <p>NCIC in RoDA / D'man (Mech /civil) or any of its variants under DGT.</p> |
| (iv) Employability Skill | MBA/ BBA / Any Graduate/ Diploma in any discipline with Two |

| | |
|---------------------------------------|---|
| | <p>years' experience with short term ToT Course in Employability Skills from DGT institutes. (Must have studied English/ Communication Skills and Basic Computer at 12th / Diploma level and above)</p> <p style="text-align: center;">OR</p> <p>Existing Social Studies Instructors in ITIs with short term ToT Course in Employability Skills from DGT institutes.</p> |
| (v) Minimum Age for Instructor | 21 Years |
| List of Tools and Equipment | As per Annexure – I |

Distribution of training on Hourly basis: (Indicative only)

| Year | Total Hrs. /week | Trade Practical | Trade Theory | Workshop Cal. & Sc. | Engg. Drawing | Employability Skills |
|-----------------|------------------|-----------------|--------------|---------------------|---------------|----------------------|
| 1 st | 40 Hours | 25 Hours | 7 Hours | 2 Hours | 2 Hours | 4 Hours |
| 2 nd | 40 Hours | 25 Hours | 9 Hours | 2 Hours | 2 Hours | 2 Hours |

Learning outcomes are a reflection of total competencies of a trainee and assessment will be carried out as per the assessment criteria.

5.1 LEARNING OUTCOMES (TRADE SPECIFIC)

FIRST YEAR

1. Plan and organize the work to make job as per specification applying different types of basic fitting operation and check for dimensional accuracy following safety precautions. [Basic fitting operation – marking, Hack sawing, Chiselling, Filing, Drilling, Taping and Grinding etc. Accuracy: $\pm 0.25\text{mm}$]
2. Produce components by different operations and check accuracy using appropriate measuring instruments.[Different Operations - Drilling, Reaming, Tapping, Dieing; Appropriate Measuring Instrument – Vernier, Screw Gauge, Micrometer]
3. Make different fit of components for assembling as per required tolerance observing principle of interchangeability and check for functionality. [Different Fit – Sliding, Angular, Step fit, 'T' fit, Square fit and Profile fit; Required tolerance: $\pm 0.2\text{ mm}$, angular tolerance: 1 degree.]
4. Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: 3 jaws & 4 jaws, different shaped jobs: round, square, hexagonal]
5. Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. [Different cutting tool – V tool, side cutting, parting, thread cutting (both LH & RH), Appropriate accuracy: - $\pm 0.06\text{mm}$, Different turning operation – Plain, facing, drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U-cut, Reaming, knurling.]
6. Set different components of machine & parameters to produce taper/ angular components and ensure proper assembly of the components. [Different component of machine: Form tool, Compound slide, tail stock offset; Different machine parameters- Feed, speed, depth of cut.]
7. Set the different machining parameters to produce metric-v threaded components applying method/ technique and test for proper assembly of the components.
8. Set the different machining parameters and cutting tool to prepare job by performing different slotting operation. [Different machining parameters – feed, speed and depth of cut. Different slotting operations–concave & convex surface, internal key ways, profiling, making internal sprocket with an accuracy of $+/ - 0.04\text{ mm}$]

9. Set the different machining parameters and cutters to prepare job by performing different milling operation and indexing. [Different machining parameters – feed, speed and depth of cut. Different milling operations – plain, face, angular, form, gang, straddle milling]
10. Set the different machining parameters to produce square & “V” threaded components applying method/ technique and test for proper assembly of the components.
11. Produce components of high accuracy by different operations using grinding. [*Different operations – surface grinding, cylindrical grinding with an accuracy of +/- 0.01 mm*]

SECOND YEAR

12. Re-sharpen different single & multipoint cutting tool. [Different single point tools, slab milling cutter, side & face milling cutter, end mill cutter and shell end mill cutter.]
13. Set different machining parameters and cutters to prepare job by different milling machine operations. [*Different machining parameters - feed, speed, depth of cut, different machining operation – facing, drilling, tapping, reaming, counter boring, counter sinking, spot facing, and boring slot cutting.*]
14. Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. [*Different machining parameters – feed, speed and depth of cut. Different components – Rack, Spur Gear, External Spline, Steel Rule, Clutch, Helical Gear*]
15. Identify and explain basic functioning of different electrical equipment, sensors and apply such knowledge in industrial application including basic maintenance work. [*Different electrical equipment- multi-meter, transformer, relays, solenoids, motor & generator; different sensors –proximity & ultrasonic.*]
16. Set (both job and tool) CNC turning centre and produce components as per drawing by preparing part programme.
17. Set CNC VMC (Vertical Machining Center) and produce components as per drawing by preparing part programme.
18. Plan and perform simple repair, overhauling of different machines and check for functionality. [*Different Machines – Drilling Machine, milling machine and Lathe*]
19. Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. [*Different machining parameters – feed, speed and depth of cut. Different components – end mill, bevel gear, cam, worm & worm wheel*]

6. ASSESSMENT CRITERIA

| LEARNING OUTCOMES | ASSESSMENT CRITERIA |
|---|--|
| FIRST YEAR | |
| 1. Plan and organize the work to make job as per specification applying different types of basic fitting operation and check for dimensional accuracy following safety precautions. [Basic fitting operation – marking, Hack sawing, Chiselling, Filing, Drilling, Taping and Grinding etc. Accuracy: $\pm 0.25\text{mm}$] | Plan & identify tools, instruments and equipment for marking and make this available for use in a timely manner. Select raw material and visual inspection for defects. Mark as per specification applying desired mathematical calculation and observing standard procedure. Measure all dimensions in accordance with standard specifications and tolerances. Identify hand tools for different fitting operations and make these available for use in a timely manner. Prepare the job for Hacksawing, chiselling, filing, drilling, tapping, grinding. Perform basic fitting operations viz., Hacksawing, filing, drilling, tapping and grinding to close tolerance as per specification to make the job. Observe safety procedure during above operation as per standard norms and company guidelines. Check for dimensional accuracy as per standard procedure. Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal. |
| 2. Produce components by different operations and check accuracy using appropriate measuring instruments.[Different Operations - Drilling, Reaming, Tapping, Dieing; Appropriate Measuring Instrument – Vernier, Screw Gauge, Micrometer] | Plan and organize to produce different components. Select raw material, tools & equipments as per drawing. Execute/ perform different operations such as counter sinking counter boring and reaming, tapping, dieing etc. Check the work/ job using vernier, screw gauge micrometer and rectify if necessary. |

| | |
|---|--|
| <p>3. Make different fit of components for assembling as per required tolerance observing principle of interchangeability and check for functionality. [Different Fit – Sliding, Angular, Step fit, 'T' fit, Square fit and Profile fit; Required tolerance: ± 0.2 mm, angular tolerance: 1 degree.]</p> | <p>Plan and organize for fitting job. Select raw material, tools & equipments. Perform the work pieces for fitting according to tolerances and interchangeability. Check all dimensions and interchangeability in accordance with drawing and rectify if required.</p> |
| <p>4. Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: 3 jaws & 4 jaws, different shaped jobs: round, square, hexagonal]</p> | <p>Identify and acquaint with lathe machine operation with its components. Identify different work holding devices and acquaint with functional application of each device. Mount the appropriate work holding device and check for its functional usage to perform turning operations. Set the job on chuck as per shape. Set the lathe on appropriate speed & feed. Operate the lathe to demonstrate lathe operation, observing standard operating practice. Observe safety procedure during above operation as per standard norms and company guidelines.</p> |
| <p>5. Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. [Different cutting tool – V tool, side cutting, parting, thread cutting (both LH & RH), Appropriate accuracy: ± 0.06 mm, Different turning operation – Plain, facing,</p> | <p>Identify cutting tool materials used on lathe machine as per the specification and their application. Plan and grind cutting tools. Measure the tool angles with gauge and Bevel protractor as per tool signature. Mount the job and set machine parameter. Perform turning operations viz., facing, Parallel Turning, Step Turning, chamfering, grooving, U-cut, parting, drilling, boring (counter & stepped), Reaming, internal recess and knurling to make component as per specification. Check accuracy/ correctness of job using appropriate gauge and</p> |

| | |
|---|--|
| <i>drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U -cut, Reaming, knurling.]</i> | <p>measuring instruments for their functional requirement.</p> <p>Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.</p> |
| <p>6. Set different components of machine & parameters to produce taper/ angular components and ensure proper assembly of the components. <i>[Different component of machine: Form tool, Compound slide, tail stock offset; Different machine parameters- Feed, speed, depth of cut.]</i></p> | <p>Plan and select appropriate method to produce taper/ angular components.</p> <p>Evaluate angles to set up the tool and machine component for machining.</p> <p>Demonstrate possible solutions and agree tasks within the team.</p> <p>Produce taper/ angular components as per standard operating procedure.</p> <p>Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement.</p> <p>Assemble the components to ascertain functionality.</p> |
| <p>7. Set the different machining parameters to produce metric-v threaded components applying method/ technique and test for proper assembly of the components.</p> | <p>Plan and select appropriate method to produce threaded components.</p> <p>Plan and prepare thread cutting tool in compliance with standard thread parameters.</p> <p>Produce components as per drawing.</p> <p>Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement and suit to male/female part.</p> <p>Test the proper assembly of the threaded components.</p> |
| <p>8. Set the different machining parameters and cutting tool to prepare job by performing different slotting operation. <i>[Different machining parameters – feed, speed and depth of cut. Different slotting operations –concave & convex surface, internal</i></p> | <p>Identify different work and tool holding devices and acquaint with functional application of each device.</p> <p>Mount the work and tool holding devices with required alignment and check for its functional usage to perform slotting operations.</p> <p>Observe safety procedure during mounting as per standard norms.</p> <p>Select appropriate tools and equipment and operate the machine to produce components as per required dimension.</p> |

| | |
|---|---|
| key ways, profiling, making internal sprocket with an accuracy of +/- 0.04 mm] | Solve problem by applying basic methods, tools, materials and information during setting machining. |
| | Avoid waste and dispose waste as per procedure. |
| | Measure all dimensions to check for accuracy with respect to the drawing. |
| 9. Set the different machining parameters and cutters to prepare job by performing different milling operation and indexing. [Different machining parameters – feed, speed and depth of cut. Different milling operations – plain, face, angular, form, gang, straddle milling] | Identify different work and tool holding devices and acquaint with functional application of each device. |
| | Mount the work and tool holding devices with required alignment and check for its functional usage to perform milling operations. |
| | Observe safety procedure during mounting as per standard norms. |
| | Solve problem by applying desired mathematical skill, basic methods, tools, materials and collect and organize information during setting. |
| | Plan and select appropriate method to produce components with different forms of thread. |
| 10. Set the different machining parameters to produce square & "V" threaded components applying method/ technique and test for proper assembly of the components. | Plan and prepare thread cutting tool in compliance with standard thread parameters. |
| | Apply desired mathematical skills, collect and organize information to work out the machining parameters. |
| | Produce components as per drawing. |
| | Check accuracy/ correctness of job using appropriate gauge and measuring instruments for their functional requirement and suit to male/female part. |
| | Plan and select appropriate method to produce the work piece as per drawing. |
| 11. Produce components of high accuracy by different operations using grinding. [Different operations – surface grinding, cylindrical grinding with an accuracy of +/- 0.01 mm] | Select appropriate tools, equipment and machine to produce the work piece as per drawing and make these available for use in a timely manner. |
| | Grind the cutting tool following standard operating practice. |
| | Set the job on grinding machine and grind the surfaces as per specification/drawing (parallel and stepped) following standard |

| | |
|---|--|
| | <p>operating practice.</p> <p>Check the dimension of parallel and stepped job by precession instrument. (micrometer)</p> <p>Observe safety precautions during operation of machine.</p> <p>Check for desired performance</p> |
| SECOND YEAR | |
| 12. Resharpen different single & multipoint cutting tool. [Different single point tools, slab milling cutter, side & face milling cutter, end mill cutter and shell end mill cutter.] | <p>Plan and select appropriate method to re-sharpen the tool.</p> <p>Set the tool and appropriate accessories/ attachments observing safety/ precautions to re-sharpen the tool as per standard method of operation.</p> <p>Perform the operation as per standard method.</p> <p>Check the accuracy.</p> |
| 13. Set different machining parameters and cutters to prepare job by different milling machine operations. [Different machining parameters - feed, speed, depth of cut, different machining operation – facing, drilling, tapping, reaming, counter boring, counter sinking, spot facing, and boring slot cutting.] | <p>Plan &select appropriate cutter according to standard of operation.</p> <p>Setting of cutter and machining parameters.</p> <p>Produce components by performing different milling operations/ indexing.</p> <p>Checking the accuracy/ correctness with instruments/ gauges and rectify if required.</p> |
| 14. Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. [Different machining parameters – feed, speed and depth of cut. Different components – Rack, Spur Gear, External Spline, Steel | <p>Select cutter as per specification of gear and plan to make spur gear, helical, rack& pinion as per drawing.</p> <p>Comply with safety rules when performing the above operations.</p> <p>Work out and apply indexing parameters as per different components to be produced to determine gear setting and set indexing head, milling machine.</p> <p>Demonstrate possible solutions within the team using desired mathematical skills, knowledge of facts, principles, processes and general concept in the field of work to set the indexing</p> |

| | |
|--|---|
| Rule, Clutch, Helical Gear] | <p>head.</p> <p>Solve problems during operation by selecting and applying basic methods, tools, materials and collect and organize information for quality output.</p> <p>Set job and produce component following the standard operating procedure.</p> <p>Make components observing standard operating procedure.</p> <p>Measure with instruments/gauges as per drawing and check functionality of gear.</p> <p>Avoid waste, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.</p> |
| 15. Identify and explain basic functioning of different electrical equipment, sensors and apply such knowledge in industrial application including basic maintenance work. [Different electrical equipment- multi-meter, transformer, relays, solenoids, motor & generator; different sensors –proximity & ultrasonic.] | <p>Identify differnet electrical equipment viz.multi-meter, transformer, relays, solenoids, motor & generator.</p> <p>Identify differnet sensors viz, proximity &ultrasonic.</p> <p>Examine functioning of different electrical equipment, sensors and their utilization in industrial application.</p> <p>Observe safety precautions during examination of electrical equipment and sensors.</p> |
| 16. Set (both job and tool) CNC turning centre and produce components as per drawing by preparing part programme | <p>Plan and prepare part programme as per drawing, simulate for its correctness with appropriate software.</p> <p>Prepare tooling layout and select tools as required.</p> <p>Demonstrate possible solution within the team.</p> <p>Set selected tools on to the machine.</p> <p>Test/Dry run the part programme on the machine.</p> <p>Set up the job and machine the component as per standard operating procedure involving parallel, step, taper, drilling, boring, radius, grooving and threading operations, etc.</p> <p>Check accuracy/ correctness of job using appropriate gauge and</p> |

| | |
|---|---|
| | <p>measuring instruments.</p> <p>Observe safety/ precaution during machining.</p> <p>Avoid wastage, ascertain unused materials and components for disposal, store these in an environmentally appropriate manner and prepare for disposal.</p> |
| 17. Set CNC VMC (Vertical Machining Center) and produce components as per drawing by preparing part programme. | <p>Plan and prepare part programme as per drawing applying range of cognitive and practical skills, simulate for its correctness with simulation software.</p> <p>Demonstrate possible solutions within the team.</p> <p>Prepare tooling layout and select tools as required.</p> <p>Set selected tools on to the machine.</p> <p>Test/Dry run the part programme on the machine.</p> <p>Set up the job and produce the component as per standard operating procedure involving face milling, contour milling with tool radius compensation, pocket milling, drilling, peck drilling, countersinking, tapping operations using canned cycle for hole operations.</p> <p>Solve problems during operation by selecting and applying basic methods, tools, materials and information and using quality concept.</p> <p>Check accuracy/ correctness of job using appropriate gauge and measuring instruments.</p> <p>Observe safety/ precaution during machining.</p> |
| 18. Plan and perform simple repair, overhauling of different machines and check for functionality. [Different Machines – Drilling Machine, milling machine and Lathe] | <p>Ascertain and select tools and materials for the repair, overhauling and make this available for use in a timely manner.</p> <p>Plan work in compliance with standard safety norms.</p> <p>Demonstrate possible solutions and agree tasks within the team.</p> <p>Select specific parts to be repaired and ascertain for appropriate material and estimated time.</p> <p>Repair, overhaul and assemble the parts in the machine with the help of blue print.</p> <p>Check for functionality of part and ascertain faults of the part/ machine in case of improper function.</p> <p>Rectify faults of assembly.</p> |

| | |
|--|---|
| <p>19. Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. [Different machining parameters – feed, speed and depth of cut. Different components – end mill, bevel gear, cam, worm & worm wheel]</p> | Select cutter as per specification of job and plan to make end mill, bevel gear, cam, worm & worm wheel as per drawing. |
| | Comply with safety rules when performing the above operations. |
| | Demonstrate possible solutions within the team. |
| | Solve problems during operation by selecting and applying basic methods, tools, materials and information and using quality concept. |
| | Apply mathematical skill, knowledge of facts, principles, processes and general concepts in the field of work to determine gear setting and set indexing head, milling machine. |
| | Set job and produce component following the standard operating procedure. |
| | Make components observing standard operating procedure. |
| Measure with instruments/gauges as per drawing and check functionality of component. | |

SYLLABUS FOR MACHINIST TRADE

FIRST YEAR

| Duration | Reference Learning Outcome | Professional Skills (Trade Practical) With Indicative Hours | Professional Knowledge (Trade Theory) |
|--|---|---|---|
| Professional Skill 150Hrs.; Professional Knowledge 42Hrs. | <p>Plan and organize the work to make job as per specification applying different types of basic fitting operation and check for dimensional accuracy following safety precautions. [Basic fitting operation – marking, Hack sawing, Chiselling, Filing, Drilling, Taping and Grinding etc. Accuracy: $\pm 0.25\text{mm}$]</p> | <ol style="list-style-type: none"> Importance of trade training, List of tools & Machinery used in the trade.(02hr.) Safety attitude development of the trainee by educating them to use Personal Protective Equipment (PPE). (07hrs.) First Aid Method and basic training.(04hrs.) Safe disposal of waste materials like cotton waste, metal chips/burrs etc. (03hrs.) Hazard identification and avoidance. (04hrs.) Identification of safety signs for Danger, Warning, caution & personal safety message.(03 hrs.) Preventive measures for electrical accidents & steps to be taken in such accidents.(04hrs.) Use of fire extinguishers.(07hrs.) Practice and understand precautions to be followed while working in fitting jobs. (03hrs.) Safe use of tools and equipments used in the trade. | <p>All necessary guidance to be provided to the newcomers to become familiar with the working of Industrial Training Institute system including store's procedures.</p> <p>Soft skills, its importance and job area after completion of training.</p> <p>Importance of safety and general precautions observed in the industry/shop floor.</p> <p>Introduction of first aid. Operation of electrical mains and electrical safety. Introduction of PPEs.</p> <p>Response to emergencies e.g. power failure, fire, and system failure.</p> <p>Importance of housekeeping & good shop floor practices.</p> <p>Introduction to 5S concept & its application.</p> <p>Occupational Safety & Health: Health, Safety and Environment guidelines, legislations & regulations as applicable.</p> <p>Basic understanding on Hot work, confined space work and material handling equipment. (07 hrs.)</p> |

| | | | |
|--|--|--|--|
| | | (03 hr) | |
| | | <p>11. Study the drawing to plan the job/ work. Identification of tools & equipments as per desired specifications for marking, filing & sawing. (04 hrs.)</p> <p>12. Visual inspection of raw material for rusting, scaling, corrosion etc. (02 hrs.)</p> <p>13. Familiarisation of bench vice. (02 hr)</p> <p>14. Filing- Flat and square (Rough finish). (08 hrs.)</p> <p>15. Marking with scriber and steel rule. (03 hrs.)</p> <p>16. Filing practice, surface filing, marking of straight and parallel lines with odd leg calipers and steel rule. (06 hrs.)</p> | <p>Linear measurements- its units, steel rule dividers, callipers – types and uses, Punch – types and uses. Uses of different types of hammers. Description, use and care of marking off table. (07 hrs.)</p> |
| | | <p>17. Marking out lines, gripping suitably in vice jaws, hack sawing to given dimensions. (09 hrs.)</p> <p>18. Sawing different types of metals of different sections. (09 hrs.)</p> <p>19. Marking practice with dividers, odd leg callipers, scriber and steel rule (circles, arc, parallel lines). (07 hrs.)</p> | <p>Bench vice construction, types, uses, care & maintenance, vice clamps, hacksaw frames and blades, specification, description, types and their uses, method of using hacksaws.</p> <p>Files- elements, types, specification and their uses. Methods of filing. Care and maintenance of files.</p> <p>Measuring standards (English, Metric Units) (07 hrs.)</p> |
| | | <p>20. Grinding, centre punch, dot punch, chisel and scriber. (07 hrs.)</p> <p>21. Marking off straight lines and arcusing scribing block and dividers. (08 hrs.)</p> | <p>Pedestal grinding machine: Use, care and safety aspect.</p> <p>Marking off and layout tools, scribing block, care & maintenance.</p> <p>Try square, ordinary depth gauge,</p> |

| | | | |
|--|---|---|---|
| | | <p>22. Marking, filing, filing square and check using try-square. (15 hrs.)</p> <p>23. Marking according to drawing for locating, position of holes, scribing lines on chalked surfaces with marking tools. (07hrs.)</p> <p>24. Finding centre of round bar with the help of 'V' block and marking block. (06hrs.)</p> <p>25. Prepare mushroom head and round bar and bending metal plate by hammering. (10hrs.)</p> <p>26. Marking using scale, surface gauge and angle plate. (07 hrs.)</p> | <p>Care & maintenance of cold chisels- materials, types, cutting angles.</p> <p>Combination set- its components, uses and cares. (07 hrs)</p> <p>Marking media, Prussian blue, red lead, chalk and their special application, description.</p> <p>Surface plate and auxiliary marking equipment, 'V' block, angle plates, parallel block, description, types, uses, accuracy, care and maintenance.</p> <p>(07 hrs.)</p> |
| Professional Skill 50 Hrs; Professional Knowledge 14 Hrs. | Produce components by different operations and check accuracy using appropriate measuring instruments. [Different Operations - Drilling, Reaming, Tapping, Dieing; Appropriate Measuring Instrument – Vernier, Screw Gauge, Micrometre] | <p>27. <i>Chipping flat surfaces along a marked line. (07hrs.)</i></p> <p>28. <i>Make a square from a round job by chipping upto 20mm length. (06hrs.)</i></p> <p>29. <i>Slot, straight and angular chipping. (05hrs.)</i></p> <p>30. Mark off and drill through holes. (05hrs.)</p> <p>31. Drill and tap on M.S. flat. (04hrs.)</p> <p>32. Cutting external thread on M.S. rod using Die.(03hrs.)</p> <p>33. Punch letter and number (letter punch and number punch). (03hrs.)</p> <p>34. Counter sinking, counter boring and reaming with accuracy +/- 0.04 mm.(05 hrs.)</p> <p>35. Drill blind holes with an</p> | <p>Drill, Tap, Die-types & application.</p> <p>Determination of tap drill size.</p> <p>Basic terminology related to screw thread.</p> <p>Reamer- material, types (Hand and machine reamer), parts and their uses, determining hole size for reaming, Reaming procedure.</p> <p>Vernier height gauge: construction, graduations, vernier setting & reading. Care and maintenance of Vernier height Gauge.</p> <p>(07 hrs.)</p> <p>Drilling machines-types & their application, construction of Pillar & Radial drilling machine. Countersunk, counter bore and spot facing-tools and</p> |

| | | | |
|--|--|---|--|
| | | <p>accuracy 0.04 mm.(02 hrs.)</p> <p>36. Form internal threads with taps to standard size (blind holes).(03 hrs.)</p> <p>37. Prepare studs and bolt.(07hrs.)</p> | <p>nomenclature.</p> <p>Cutting Speed, feed, depth of cut and Drilling time calculations. (07 hrs.)</p> |
| Professional Skill 100 Hrs.; Professional Knowledge 28 Hrs. | Make different fit of components for assembling as per required tolerance observing principle of interchangeability and check for functionality. [Different Fit – Sliding, 'T' fit and Square fit; Required tolerance: ± 0.2 mm, angular tolerance: 1 degree.] | <p>38. Make Male & Female 'T' fitting with an accuracy $+\/- 0.2$ mm and 1 degree. (25hrs.)</p> <p>39. Make male female square fit with accuracy $+\/- 0.1$ mm. (25hrs.)</p> <p>40. Make Male & Female Hexagon fitting with accuracy $+\/- 0.06$ mm. (50 hrs.)</p> | <p>Interchangeability: Necessity in Engg., field, Limit- Definition, types, terminology of limits and fits-basic size, actual size, deviation, high and low limit, zero-line, tolerance zone, allowances. Different standard systems of fits and limits. (British standard system & BIS system) (14 hrs)</p> <p>Vernier calliper-its parts, principle, reading, uses & care.</p> <p>Outside micrometre- its parts, principle, reading, uses, Reading of Vernier Micrometre), care & maintenance.</p> <p>Dial test indicator-its parts, types, construction and uses. (14 hrs.)</p> |
| Professional Skill 25 Hrs.; Professional Knowledge 07 Hrs. | Set different shaped jobs on different chuck and demonstrate conventional lathe machine operation observing standard operation practice. [Different chucks: 3 jaws & 4 jaws, different shaped jobs: round, square, hexagonal] | <p>41. Identify & function of different parts of lathe. Practice on operation of lathe (dry/idle run). (10 hrs.)</p> <p>42. Setting lathe on different speed and feed.(05 hrs.)</p> <p>43. Dismantling, assembling & truing of 3-jaw & 4-jaw chucks. (10hrs.)</p> | <p>Getting to know the lathe with its main components, lever positions and various lubrication points as well.</p> <p>Definition of machine & machine tool and its classification. History and gradual development of lathe. Introduction to lathe- its types. Centre lathe construction, detail function of parts, specification. Safety points to be observed while working on a lathe. (07 hrs.)</p> |

| | | | |
|--|---|--|--|
| Professional Skill 125 Hrs.; Professional Knowledge 35 Hrs. | Prepare different cutting tool to produce jobs to appropriate accuracy by performing different turning operations. <i>[Different cutting tool – V tool, side cutting, parting, thread cutting (both LH& RH), Appropriate accuracy: $\pm 0.06\text{mm}$, Different turning operation – Plain, facing, drilling, boring (counter & stepped), grooving, Parallel Turning, Step Turning, parting, chamfering, U-cut, Reaming, knurling.]</i> | 44. Grinding of R.H. and L.H. tools, V- tool, parting tool, Round nose tool. (15 hrs.) 45. Checking of angles with angle gauge/ bevel protractor. (02 hrs.) 46. Grinding of "V" tools for threading of Metric 60-degree threads. (08 hrs.) | Lathe cutting tool-different types, material, shapes and different angles (clearance, rake etc.) and their effects, specification of lathe tools, grinding process of tools. Types of chips, chip breaker. Tool life, factors affecting tool life. (07 hrs.) |
| | | 47. Perform facing operation to correct length. (05 hrs.) 48. Centre drilling and drilling operation to required size. (05 hrs.) 49. Perform parallel turning and step turning operation. (15 hrs.) | Driving mechanism, speed and feed mechanism of Lathe. (07 hrs) |
| | | 50. Perform drilling, boring and undercut operation, parting, grooving, chamfering practice. (48 hrs.) 51. Measurement with steel rule and outside calliper with an accuracy of $\pm 0.5\text{ mm}$. (02 hrs.) | Concept of Orthogonal and Oblique Cutting. Chucks & different types of job holding devices on lathe and advantages of each type. Mounting and dismounting of chucks. Vernier Bevel Protractor – parts, reading and uses. (14 hrs) |
| | | 52. Perform different Knurling operation in lathe with accuracy of $\pm 0.5\text{ mm}$ (10 hrs.) 53. Perform Drilling & boring of blind hole with an accuracy of $\pm 0.3\text{ mm}$ (15 hrs.) | Lathe operations-facing, turning, parting-off, grooving, chamfering, boring etc. Knurling-types, grade & its necessity. (07 hrs) |
| Professional Skill 50 Hrs.; Professional | Set different components of machine & parameters to produce taper/ | 54. Make taper turning by form tool with an accuracy of 1 degree. (05 hrs.) 55. Make taper turning by | Taper – different methods of expressing tapers, different standard tapers. Method of taper turning, important dimensions of |

| | | | |
|-----------------------------------|--|---|--|
| Knowledge 14 Hrs. | angular components and ensure proper assembly of the components. <i>[Different component of machine: Form tool, Compound slide, tail stock offset; Different machine parameters- Feed, speed, depth of cut.]</i> | compound slide swivelling with an accuracy of \pm 30 minute (20 hrs.) | taper. Taper turning by swiveling compound slide, its calculation. (07 hrs.) |
| | | 56. Make taper by off-setting tailstock with an accuracy of \pm 30 minute. (20 hrs.) 57. Checking taper by Vernier Bevel Protractor and sine bar & slip gauge. (05 hrs.) | Calculations of taper turning by off-setting tail stock. Sine Bar – description & uses. Slip gauge –description and uses. (07 hrs.) |
| Professional Skill 50 Hrs.; | Set the different machining parameters to produce metric-v threaded components applying method/technique and test for proper assembly of the components. | 58. Cutting V thread (external) in a lathe and check with Screw Pitch Gauge. (22 hrs.) | Different thread forms, their related dimensions and calculations of screw cutting in a lathe (Metric thread on English lathe and English thread on Metric lathe). Measurement of threads by three wire methods. Use of Screw Pitch Gauge. (14 hrs.) |
| Professional Knowledge 14 Hrs. | | 59. Cutting V thread (internal) in a lathe and check with Screw Pitch Gauge. (25 hrs.) 60. Fitting of male & female threaded components. (03 hrs.) | |
| Professional Skill 100 Hrs.; | Set the different machining parameters and cutting tool to prepare job by performing different slotting operation. <i>[Different machining parameters –feed, speed and depth of cut. Different slotting operations –concave & convex surface, internal key ways, profiling, making internal sprocket with an accuracy of \pm 0.04 mm]</i> | 61. Identification of slotting machine parts & its construction, use of rotary table. (10 hrs.) | Slotter– Classification, principle, construction, Safety precaution. Introduction and their indexing process on a Slotter by its Rotary table graduations. |
| Professional Knowledge 28 Hrs. | | 62. Practice on slotting key ways on pulley with accuracy \pm 0.04 mm (15 hrs.) | Driving mechanisms, quick return motion and speed ratio. Safety points to be observed while working on a Slotter. (07 hrs.) |
| | | 63. Slotting a double ended spanner with accuracy \pm 0.1 mm. (25 hrs.) | Job holding devices-vice, clamps, V-block, parallel block etc. Slotting tools- types, tool angles. (07 hrs) |
| | | 64. Cutting sprocket teeth on slotting machine with accuracy \pm 0.04 mm. (25 hrs.) | Use of tool with holder for internal operations. Precautions to be observed during slotting |

| | | | |
|--|---|--|--|
| | | | <p>internal operations. Use of circular marks on the table for slotting curves. Chain, Sprocket and their applications. (07 hrs)</p> |
| | | <p>65. Cutting internal spline on slotting machine with accuracy +/-0.04 mm. (25 hrs.)</p> | <p>Spline – types and uses. Coolant & lubricant – Introduction, types, properties, application & applying methods. (07 hrs)</p> |
| <p>Professional Skill 150 Hrs.; Professional Knowledge 42 Hrs.</p> | <p>Set the different machining parameters and cutters to prepare job by performing different milling operation and indexing. [Different machining parameters – feed, speed and depth of cut. Different milling operations – plain, face, angular, form, gang, straddle milling]</p> | <p>66. Identification of milling machine. (02 hrs.) 67. Demonstrate working principle of Milling Machine. (04 hrs.) 68. Set vice & job on the table of Milling Machine. (05 hrs.) 69. Set arbor on the spindle of milling machine. (08 hrs.) 70. Set the cutter on arbour. (04 hrs.) 71. Safety points to be observed while working on a milling machine. (02 hrs.)</p> <p>72. Demonstrate Up Milling and Down Milling Process. (05hrs.) 73. Sequence of milling six faces of a solid block. (08 hrs.) 74. Check the accuracy with the help of try-square and vernier height gauge. (02hrs.) 75. Perform Step milling using side and face cutter checking with depth micrometer. (05hrs.) 76. Perform slot milling using side and face cutter. (05hrs.)</p> <p>77. Make "V" Block using Horizontal</p> | <p>Milling Machine: Introduction, types, parts, construction and specification. Driving and feed mechanism of Milling Machine. (06 hrs)</p> <p>Different types of milling cutters & their use. Cutter nomenclature. (06 hrs)</p> <p>Different milling operations -</p> |

| | | | |
|--|--|---|--|
| | | Milling Machine with accuracy +/-0.02 mm. (20hrs.) | plain, face, angular, form, slot, gang and straddle milling etc. Up and down milling. (06 hrs) |
| | | 78. Make concave surfaces with an accuracy +/-0.02 mm. (04 hrs.) 79. Make convex surfaces with an accuracy +/-0.02 mm. (04 hrs.) 80. Straddle milling operation with an accuracy +/-0.02 mm. (07 hrs.) 81. Gang milling operation with an accuracy +/-0.02 mm. (08hrs.) | Different types of milling attachments and their uses. (06 hrs) |
| | | 82. Make Dovetail fitting (male & female) on Milling Machine with an accuracy +/-0.02 mm. (18hrs.) | Jigs and Fixtures- Introduction, principle, types, use, advantages & disadvantages. (06 hrs) |
| | | 83. Make T-Slot fitting (male & female) on Milling Machine with an accuracy +/-0.02 mm. (18hrs.) | Properties of metals general idea of physical, mechanical properties of metals, colour, weight, hardness toughness, malleability, ductility their effect on machinability. Heat Treatment – Introduction, necessity, types, Purposes, different methods of Heat Treatment. Heat Treatment of Plain Carbon Steel. (06 hrs) |
| | | 84. Demonstrate indexing head. (04hrs.) 85. Set and align indexing head with reference to job on milling machine.(04hrs.) 86. Make square job by direct/ simple indexing method with an accuracy +/-0.02 mm. (05hrs.) 87. Make hexagonal job by simple indexing method with an | Indexing-introduction & types. Indexing head-types &constructional details, function of indexing plates and the sector arms. Calculation for various types of indexing. (06 hrs) |

| | | | |
|--|---|---|--|
| | | accuracy +/-0.02 mm. (08hrs.) | |
| Professional Skill 75 Hrs.; Professional Knowledge 21 Hrs. | Set the different machining parameters to produce square & "V" threaded components applying method/ technique and test for proper assembly of the components. | 88. Checking of alignment of lathe centres and their adjustments. (03 hrs.) 89. Turning practice-between centres on mandrel (gear blank) with an accuracy +/-30 minute. (07 hrs.) 90. Taper turning by swivelling the cross slide. 91. Make square thread (external) on a lathe with an accuracy +/- 0.02 mm. (12hrs.) 92. Make square thread (internal) on a lathe with an accuracy +/- 0.02 mm. (15hrs.) 93. Check with thread gauge – grinding of tool & setting in correct position. (04hrs.) 94. Fitting of male & Female Square threaded components. (02hrs.) 95. Make multi-start V thread on lathe with Screw Pitch gauge.(10 hrs.) 96. Perform eccentric turning with an accuracy +/-0.02mm. (07hrs..) | Turning of taper by taper turning attachment - advantages and disadvantages, taper calculations. Mandrel, Lathe centres, Lathe dog, catch plate/Driving plate, Face plate, Rests, their types & uses. (07 hrs) Terms relating screw thread major/ minor diameter, pitch and lead of the screw, depth of thread. Simple gear train and compound gear train change gears for fractional pitches. Square thread and its form and calculation of depth, core dia, pitch dia. Difference between single and multi-start threads- their uses, merits and demerits. (14 hrs.) |
| Professional Skill 125 Hrs.; Professional Knowledge 35 Hrs. | Produce components of high accuracy by different operations using grinding. <i>[Different operations – surface grinding, cylindrical grinding with an accuracy of +/- 0.01 mm]</i> | 97. Identification of different types of grinding machine. (02 hrs.) 98. Wheel balancing & truing. (06 hrs.) 99. Dressing of grinding wheel. (02 hrs.) 100. Grinding of block (six sides) by surface grinding machine with an accuracy of +/- 0.01 mm. (15 hrs.) | Grinding – Introduction, grinding wheel- abrasive, types, bond, grade, grid, structure, standard marking system of grinding wheel, selection of the grinding wheel. (06 hrs.) |

| | | | |
|--|--|---|--|
| | | <p>101. Grinding of step block by surface grinding machine with an accuracy of +/- 0.01 mm. (10hrs.)</p> <p>102. Grinding of slot block by surface grinding machine with an accuracy of +/- 0.01 mm. (08hrs.)</p> | <p>Dressing, types of dresser. Glazing and Loading of wheels – its causes and remedies. Roughness values and their symbols. Explain the importance and necessity of quality. (06 hrs.)</p> |
| | | <p>103. Set and perform angular grinding using universal vice/ sign vice to standard angle. (05 hrs.)</p> <p>104. Make slide fit with an accuracy \pm 0.01mm (male female) (05hrs.)</p> <p>105. Perform form grinding (05 hrs.)</p> <p>106. Make dovetail fitting with an accuracy \pm 0.01mm (male & female) (08 hrs.)</p> | <p>Surface Grinder – Types, Parts, construction, use, methods of surface grinding, specification & safety. (06 hrs.)</p> |
| | | <p>Cylindrical grinding:</p> <p>107. External parallel cylindrical grinding (Both holding in chuck/ collet and in between centers. (10 hrs.)</p> <p>108. Plunge grinding (08 hrs.)</p> | <p>Cylindrical grinder: Introduction, parts, construction, types, specification, safety, different methods of cylindrical grinding. (06 hrs.)</p> |
| | | <p>109. Perform straight bore grinding (05hrs.)</p> <p>110. Perform step bore grinding (05hrs.)</p> <p>111. Internal taper bore grinding (05hrs.)</p> <p>112. Make male female fitting with an accuracy of +/- 0.01 mm (08hrs.)</p> | <p>Cutting speed, feed, depth of cut, machining time calculation. (06 hrs.)</p> |
| | | <p>113. External step cylindrical grinding with an accuracy of +/- 0.01 mm (10hrs.)</p> | <p>Wet grinding and dry grinding, various types of grinding wheels and their application, grinding</p> |

| | | | |
|--|--|--|---------------------------------|
| | | 114. External taper Cylindrical grinding with an accuracy of +/- 0.01 mm. (08hrs.) | defects and remedies. (05 hrs.) |
|--|--|--|---------------------------------|

In-plant training/ Project work

Broad area:

- a) Drill extension socket
- b) V-belt pulley
- c) Tail Stock Centre (MT – 3)
- d) Taper ring gauge
- e) Taper plug gauge. (Morse taper – 3)

SYLLABUS FOR MACHINIST TRADE

| SECOND YEAR | | | |
|---|---|--|---|
| Duration | Reference Learning Outcome | Professional Skills (Trade Practical) With Indicative Hours | Professional Knowledge (Trade Theory) |
| Professional Skill 75 Hrs.; Professional Knowledge 27 Hrs. | Re-sharpen different single & multipoint cutting tool. [Different single point tools, slab milling cutter, side & face milling cutter, end mill cutter and shell end mill cutter.] | 115. Demonstrate and practice of grinding of different single point tools. (25 hrs.) 116. Demonstrate and practice of grinding of slab milling cutter. (13 hrs.) 117. Re-sharpening side and face milling cutter. (12 hrs.) 118. Demonstrate and practice of grinding of end mill cutter. (10 hrs.) 119. Re-sharpening of shell end mill cutter. (15 hrs.) | Tool & cutter grinder- Introduction, parts, construction, use and specification, different types of tool rest & their application. (09 hrs.) Various methods of cutter grinding. (09 hrs.) Various cutter grinding attachments and their uses. (09 hrs.) |
| Professional Skill 75 Hrs; Professional Knowledge 27 Hrs. | Set different machining parameters and cutters to prepare job by different milling machine operations. [Different machining parameters - feed, speed, depth of cut, different machining operation – facing, drilling, tapping, reaming, counter boring, counter sinking, spot facing, and boring slot] | 120. Practice of facing on milling Machine. (10 hrs.) 121. Drill on P.C.D on milling Machine with accuracy +/- 0.02 mm. (15 hrs.) 122. Perform Tapping and Reaming operation using milling Machine with an accuracy +/- 0.02 mm. (10 hrs.) 123. Perform spot facing operation using milling machine with accuracy +/- 0.02 mm. (15 hrs.) 124. Make slot on face of the job using milling Machine with an accuracy +/- 0.02 mm. (10 hrs.) | Geometrical tolerances, definition, symbol and their application. Depth Micrometer – Parts, reading, uses and safety. (09 hrs.) Different types of micrometers and their uses. Inside Micrometer – its parts, reading and uses. Bore Dial Gauge – its parts, reading (both in Metric and English system) and uses. Telescopic gauge. (09 hrs.) Gauges – different types and their uses, difference between Gauges and Measuring Instruments. |

| | | | |
|---|--|---|--|
| | <i>cutting.]</i> | 125. Make Internal Grooving using milling Machine with an accuracy 0.02 mm. (15 hrs.) | Gear introduction, use and type. Elements of a spur gear. Gear tooth of each forms types, merits and demerits of each. (09 hrs.) |
| Professional Skill 100Hrs.; Professional Knowledge 36Hrs. | Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. <i>[Different machining parameters – feed, speed and depth of cut. Different components – Rack, Spur Gear, External Spline, Steel Rule, Clutch, Helical Gear]</i> | 126. Make Straight Teeth Rack using Milling Machine with an accuracy 0.05 mm. (08 hrs.) 127. Make Helical Teeth Rack using Milling Machine with an accuracy 0.05 mm one straight rack. (08 hrs.) 128. Measurement of teeth by Vernier Gear Tooth Caliper. (05 hrs.) | Rack – types, uses and calculations. Selection of gear cutter type and form & various methods of checking gear and its parts. Vernier gear tooth caliper - its construction and application in checking gear tooth. (08hrs.) |
| | | 129. Make spur gear using Simple indexing with an accuracy 0.05 mm. (08 hrs.) 130. Make spur gear using differential indexing with an accuracy 0.05 mm. (12 hrs.) | Spur gear calculations, curves and their uses. Use of radius gauges and template. (07hrs.) |
| | | 131. Perform Boring operation on Vertical Milling Machine with an accuracy 0.05 mm. (18 hrs.) | Vertical Milling Machine- its parts. Method of boring in Vertical milling. Difference between Horizontal and Vertical Milling Machine. (07hrs.) |
| | | 132. Make helical gear on milling machine with an accuracy 0.05 mm. (20 hrs.) | Helix and Spiral introduction, types and elements. Difference between helix & spiral. Difference between R.H. and L.H. helix. Helical gear- elements, application. Calculations for cutting helical gear. (07hrs.) |
| | | 133. Make straight flute milling on Milling Machine with an accuracy 0.05 mm. (10 hrs.) 134. Make helical flute on Milling Machine with an accuracy 0.02 mm. (11 hrs.) | Reamer – types, elements and uses. Calculations for cutting Reamer. Twist drill-nomenclature, cutter selection. Calculations for cutting twist drill. (07hrs.) |

| | | | |
|--|--|---|--|
| Professional Skill 50 Hrs; Professional Knowledge 18Hrs. | Identify and explain basic functioning of different electrical equipment, sensors and apply such knowledge in industrial application including basic maintenance work. <i>[Different electrical equipment- multi-meter, transformer, relays, solenoids, motor & generator; different sensors – proximity & ultrasonic.]</i> | 135. Measure Current, Voltage and Resistance using Simple Ohm's Law Circuit And Familiarizing Multi-meter. (05hrs.) 136. Soldering Techniques (05hrs.) 137. Step up and step-down transformers. (05hrs.) 138. Working with Solenoids and Relays. (05hrs.) 139. Working of Motor & Generators. (05hrs.) 140. Behaviour of Proximity Sensors. (05hrs.) 141. Behaviour of ultrasonic sensors. (05hrs.) 142. Logical Operation of Sensors. (05hrs.) 143. Limit & Level Control using Sensors. (05hrs.) 144. Interfacing of Sensors with Electrical Actuators. (05hrs.) | Study of basic Electricals- Voltage – Current etc. Working Of Solenoids, Inductors, Motors, Generator Based On Electromagnetic Induction Principle Switches, Fuse and Circuit Breakers Introduction To Sensors- Fundamental Of Sensor Proximity Sensors Classification and Operation-Proximity Sensors- Types Of Proximity Sensor And Their Working-Industrial Application Sensors For Distance And Displacement -LVDT-Linear Potentiometer-Ultrasonic And Optical Sensors-Industrial Application. (18hrs.) |
| Professional Skill 200 Hrs.; Professional Knowledge 72 Hrs. | Set (both job and tool) CNC turning centre and produce components as per drawing by preparing part programme. | 145. Know rules of personal and CNC machine safety, safe handling of tools, safety switches and material handling equipment using CNC didactic/ simulation software and equipment. (03 hrs.) 146. Identify CNC lathe machine elements and their functions, on the machine. (07 hrs.) 147. Understand the working of parts of CNC lathe, explained using CNC didactic/ simulation software. (09 hrs.) 148. Identify machine over travel | Personal safety, safe material handling, and safe machine operation on CNC turning centers. CNC technology basics, Comparison between CNC and conventional lathes. Concepts of positioning accuracy, repeatability. CNC lathe machine elements and their functions - bed, chuck, tailstock, turret, ball screws, guide ways, LM guides, coolant system, hydraulic system, chip conveyor, steady rest, console, spindle motor and drive, axes motors, tail stock, encoders, control switches. Feedback, CNC interpolation, open |

| | | | |
|--|--|--|---|
| | | <p>limits and emergency stop, on the machine. (01 hr)</p> <p>149. Decide tool path for turning, facing, grooving, threading, drilling. (04hrs.)</p> <p>150. Identification of safety switches and interlocking of DIH modes. (01 hr)</p> | <p>and close loop control systems. Machining operations and the tool paths in them – stock removal in turning and facing, grooving, face grooving, threading, drilling. (09hrs.)</p> |
| | | <p>151. Identify common tool holder and insert shapes by ISO nomenclature. (05hrs.)</p> <p>152. Select cutting tool and insert for each operation. (03hrs.)</p> <p>153. Fix inserts and tools in tool holders. (02hrs.)</p> <p>154. Decide cutting tool material for various applications. (03hrs.)</p> <p>155. Select cutting parameters from tool manufacturer's catalogue. (02hrs.)</p> <p>156. Write CNC programs for simple tool motions and parts using linear and circular interpolation, check on program verification/simulation software. (10hrs.)</p> <p>157. Write CNC part programs using canned cycles for stock removal, grooving, threading operations, with drilling and finish turning. Use TNRC commands for finish turning. Check simulation on program verification/simulation software. (20hrs.)</p> <p>158. Avoiding collisions caused by program errors. Knowing</p> | <p>Concept of Co-ordinate geometry, concept of machine coordinate axis, axes convention on CNC lathes, work zero, machine zero. Converting part diameters and lengths into co-ordinate system points. Absolute and incremental programming.</p> <p>Programming – sequence, formats, different codes and words.</p> <p>ISO G codes and M codes for CNC turning.</p> <p>Describe CNC interpolation, open and close loop control systems. Co-ordinate systems and Points. Program execution in different modes like MDI, single block and auto.</p> <p>Canned cycles for stock removal (turning/facing), grooving, threading, for external and internal operations.</p> <p>Tool nose radius compensation (TNRC) and why it is necessary. Find the geometry page in CNC machine.</p> <p>Cutting tool materials, application of various materials.</p> <p>Cutting tool geometry for internal and external turning, grooving,</p> |

| | | | |
|--|--|--|---|
| | | <p>causes and effects of collisions due to program errors, by making deliberate program errors and simulation on program verification/ simulation software. (05 hrs.)</p> | <p>threading, face grooving, drilling. Insert holding methods for each. Insert cutting edge geometry. ISO nomenclature for turning tool holders, boring tool holders, Indexable inserts. Cutting parameters- cutting speed, feed rate, depth of cut, constant surface speed, limiting spindle speed. Tool wear, tool life, relative effect of each cutting parameter on tool life. Selection of cutting parameters from a tool manufacturer's catalogue for various operations. Writing part programs as per drawing & checking using CNC program verification/ simulation software. Process planning, work holding, tool and cutting parameters selection according to the part geometry and dimensions. Collisions due to program errors, effects of collisions. Costs associated with collisions – tool breakage, machine damage, injuries. (18hrs.)</p> |
| | | <p>159. Conduct a preliminary check of the readiness of the CNC lathe - cleanliness of machine, functioning of lubrication, coolant level, correct working of sub-systems, on the machine. (05 hrs.)</p> <p>160. Starting the machine, do homing on CNC simulator. (02 hrs.)</p> | <p>Program execution in different modes like MDI, single block and auto.</p> <p>Process planning & sequencing, tool layout& selection and cutting parameters selection.</p> <p>Work and tool offsets.</p> <p>Inputs value to the offset/ geometry page into machine.</p> <p>Turning in multiple setups, hard</p> |

| | | | |
|--|--|--|---|
| | | <p>161. Entering the CNC program in EDIT mode for an exercise on Simple turning & Facing (step turning) without using canned cycles, on CNC simulator. (15 hrs.)</p> <p>162. Mounting jaws to suit the part holding area on CNC machine (03hrs.)</p> <p>163. Mounting tools on the turret according to part and process requirement, on CNC simulator & on CNC machine. (08hrs.)</p> <p>164. Perform Work and tool setting: Job zero/work coordinate system and tool setup and live tool setup. (08hrs.)</p> <p>165. Determining work and tool offsets using JOG, MDI, MPG modes, on CNC simulator. (08hrs.)</p> <p>166. Entering the tool offsets, tool nose radii and orientation for TNRC in offsets page, on CNC simulator. (05hrs.)</p> | <p>and soft jaws, soft jaw boring, use of tailstock and steady rest. Length to diameter (L/D) ratio and deciding work holding based on it. Machine operation modes – Jog, MDI, MPG, Edit, Memory. Entering and editing programs on machine console, entering offsets data in offsets page. Use of Emergency stop, Reset, Feed rate override, spindle speed override, edits lock on/off buttons and keys. (18hrs.)</p> |
| | | <p>167. Program checking in dry run, single block modes, on CNC simulator & CNC machine. (01hr)</p> <p>168. Absolute and incremental programming assignments and simulation. (04 hrs.)</p> <p>169. Checking finish size by over sizing through tool offsets, on CNC simulator. (02hrs.)</p> <p>170. Prepare part program and cut</p> | <p>First part checking: Program checking in single block and dry run modes – necessity and method.</p> <p>Tool offsets adjustment on first part for close tolerance dimensions, by over sizing (for outside dimensions) or under sizing (for inside dimensions) the dimension to prevent part rejection.</p> |

| | | | |
|--|--|--|---|
| | | <p>the part in auto mode in CNC machine for the exercise on Simple turning & Facing (step turning) (08 hrs.)</p> <p>171. Recovering from axes over travel, on CNC simulator (01 hr)</p> <p>172. Part program writing, setup, checking and Automatic Mode Execution for exercise on Turning with Radius/ chamfer with TNRC on CNC machine (10hrs.)</p> <p>173. Part program writing, setup, checking and Automatic Mode Execution for exercise on Turning with TNRC, grooving and threading, on CNC simulator & on CNC machine (12hrs.)</p> <p>174. Checking finish size by over sizing through tool offsets, on the machine. (02 hrs.)</p> <p>175. Machining parts on CNC lathe with combination step, taper, radius turning, grooving &threading, with external and internal operations, first and second operation, on the machine. (10 hrs.)</p> <p>176. Machining long part on CNC lathe held in chuck and tailstock (between centers). (04 hrs.)</p> <p>177. Starting from interruption due to power shutdown, tool breakage. (01hr)</p> <p>178. Changing wear offsets to take</p> | <p>Wear offset setting – necessity, relationship with tool wear, entering in offsets page.</p> <p>Process and tool selection related to grooving, drilling, boring and threading. Axes over travel, recovering from over travel.</p> <p>Collisions due to improper machine setup and operation – causes and effects. Recovering from collisions.</p> <p>Find out alarm codes and meaning of those codes. (27hrs.)</p> |
|--|--|--|---|

| | | | |
|------------------------------|--|--|---|
| | | <p>into account tool wear. (02hrs.)</p> <p>179. Part program preparation, Simulation & Automatic Mode Execution of CNC Machine for the exercise on Blue print programming contours with TNRC. (08 hrs.)</p> <p>180. Carryout Drilling/Boring cycles in CNC Turning. (10 hrs.)</p> <p><i>(First 60% of the practice is on CNC machine simulator, followed by 40% on machine.)</i></p> | |
| Professional Skill 350 Hrs.; | Set CNC VMC (vertical machining center) and produce components as per drawing by preparing part program. | <p>181. Know rules of personal and CNC machine safety, safe handling of tools and material handling equipment. Using CNC didactic/ simulation software and equipment. (02 hrs.)</p> <p>182. Identify CNC vertical machining center machine elements and their functions, on the machine. (20 hrs.)</p> <p>183. Understand working of parts of CNC VMC, explained using CNC didactic/ simulation software (20 hrs.)</p> <p>184. Identify machine over travel limits and emergency stop, on the machine. (05hrs.)</p> <p>185. Decide tool path for Face milling, Side milling, Pocket milling, Drilling, Counter sinking, tapping, Reaming, Rough boring, Finishboring,Spot facing. (03hrs.)</p> | <p>Safety aspects related to CNC VMC.CNC technology basics, Comparison between CNC VMC and conventional milling machines. Concepts of positioning accuracy, repeatability.</p> <p>CNC VMC machine elements and their functions - bed, chuck, Auto tool changer (ATC), ball screws, guide ways, LM guides, coolant system, hydraulic system, chip conveyor, rotary table, pallet changer, console, spindle motor and drive, axes motors, encoders, control switches.</p> <p>Feedback, CNC interpolation, open and close loop control systems.</p> <p>Machining operations and the tool paths in them - Face milling, Side milling, Pocket milling, Drilling, Countersinking, Rigid tapping, floating tapping Reaming, Rough boring, Finish boring, Spot facing. (18 hrs)</p> |

| | | | |
|--|--|---|--|
| | | <p>186. Identify common tools, tool holders and inserts. (05 hrs.)</p> <p>187. Select cutting tool, insert and holder for each operation. (05 hrs.)</p> <p>188. Fix inserts and tools in tool holders. (03 hrs)</p> <p>189. Decide cutting tool material for various applications. (04 hrs.)</p> <p>190. Select cutting parameters from tool manufacturer's catalog. (02 hrs)</p> <p>191. Write CNC programs for simple parts using linear and circular interpolation, absolute and incremental modes, check on program verification software. (15 hrs.)</p> <p>192. Write CNC part programs for parts with face milling, pocket milling with subprograms. Check on program verification software. (11hrs.)</p> <p>193. Write CNC part programs for pocket milling, drilling with canned cycle, countersinking with canned cycle, tapping with canned cycle. Check on program verification software. (14hrs.)</p> <p>194. Avoiding collisions caused by program errors. Knowing causes and effects of collisions due to program errors, by making deliberate program errors and</p> | <p>Concept of Co-ordinate geometry & polar coordinate points, concept of machine axis, axes convention on CNC lathes, work zero, machine zero.</p> <p>Converting part dimensions into coordinate system points.</p> <p>Absolute and incremental programming.</p> <p>Programming - sequence, formats, different codes and words.</p> <p>ISO G and M codes for CNC milling.</p> <p>Canned cycles for drilling, peck drilling, reaming, tapping, finish boring.</p> <p>Subprograms.</p> <p>Cutter radius compensation (CRC) and why it is necessary.</p> <p>Cutting tool materials, application of various materials.</p> <p>Cutting tool geometry for face mill, end mill, drill, countersink, tap, finish bore, reamer. Insert holding methods face mill, insert type end mill and insert type drill. Insert cutting edge geometry.</p> <p>Cutting parameters- cutting speed, feed rate, depth of cut.</p> <p>Tool wear, tool life, relative effect of each cutting parameter on tool life.</p> <p>Selection of cutting parameters from a tool manufacturer's catalog for various operations.</p> <p>Writing part programs as per drawing & check using CNC program verification software.</p> <p>Process planning, work holding,</p> |
|--|--|---|--|

| | | | |
|--|--|--|---|
| | | <p>simulation on program verification software. (06 hrs.)</p> | <p>tool and cutting parameters selection according to the part geometry and dimensions. Collisions due to program errors, effects of collisions. Costs associated with collisions - tool breakage, machine damage, injuries. (27hrs.)</p> |
| | | <p>195. Conduct a preliminary check of the readiness of the CNC VMC - cleanliness of machine, functioning of lubrication, coolant level, correct working of sub-systems. On the machine. (03 hrs.)</p> | <p>Program execution in different modes like manual, single block and auto.</p> |
| | | <p>196. Starting the machine, do homing on CNC simulator. (03 hrs.)</p> | <p>Process planning & sequencing, tool layout & selection and cutting parameters selection.</p> |
| | | <p>197. Entering the CNC program in EDIT mode for an exercise on face milling and drilling without using canned cycles, on CNC simulator. (20 hrs.)</p> | <p>Work offset, tool length offset, tool radius offset.</p> |
| | | <p>198. Mounting tools on the ATC according to part and process requirement, on CNC simulator & CNC machine. (08hrs.)</p> | <p>Work holding with temporary holding and fixtures. Truing of part and fixture.</p> |
| | | <p>199. Determining work and tool offsets using JOG, MDI, MPG modes, on CNC simulator& CNC machine. (07hrs.)</p> | <p>Machine operation modes - Jog, MDI, MPG, Edit, Memory.</p> |
| | | <p>200. Tool change in CNC milling and JOG, MDI, MPG mode operation. (06 hrs.)</p> | <p>Entering and editing programs on machine console, entering offsets data in offsets page.</p> |
| | | <p>201. Entering the work offset, tool length offsets, tool radii and, on CNC simulator. (03hrs.)</p> | <p>Use of Emergency stop, Reset, Feed rate override, spindle speed override, edit lock on/off buttons and keys.</p> |

| | | |
|--|--|---|
| | <p>202. Program checking in dry run, single block modes, on CNC simulator. (04 hrs.)</p> <p>203. Checking finish size by over or under sizing through tool offsets, on CNC simulator. (05 hrs.)</p> <p>204. Prepare part programme, enter, edit and simulate. (04 hrs.)</p> <p>205. Carryout tool path simulation. (04 hrs.)</p> <p>206. Recovering from axes over travel, on virtual machine simulator (03 hrs.)</p> <p>207. Part program writing, setup, checking and Automatic Mode Execution for exercise on side milling with CRC, on CNC simulator & CNC machine. (15 hrs.)</p> <p>208. Part program writing, setup, checking and Automatic Mode Execution for exercise on face milling, drilling, countersinking, tapping using canned cycle, on CNC simulator & CNC machine (20 hrs.)</p> <p>209. Automatic mode execution of CNC Machine Exercises with Block Search and restart. (12 hrs.)</p> <p>210. Mounting clamps, locators, supports, truing part and fixture. (8 hrs.)</p> <p>211. Machining part on CNC VMC with face milling, drilling. (05</p> | <p>First part checking: Program checking in single block and dry run modes -necessity and method. Tool offsets adjustment on first part for close tolerance dimensions, by oversizing (for outside dimensions) or undersizing (for inside dimensions) the dimension to prevent part rejection.</p> <p>Axes over travel, recovering from over travel.</p> <p>Collisions due to improper machine setup and operation - causes and effects.</p> <p>Recovering from collisions.</p> <p>State the importance of Helical inter-polar and thread milling, advantage and limitation in CNC machine.</p> <p>(27hrs.)</p> |
|--|--|---|

| | | | |
|--|--|--|--|
| | | <p>hrs.)</p> <p>212. Machining parts on CNC VMC with combination face milling, side milling with CRC, drilling, countersinking, tapping. Use canned cycles and subprograms wherever possible. (05 hrs.)</p> <p>213. Machining of part with closely controlled slot dimension using CRC. (05 hrs.)</p> <p>214. Machining of part with pockets. (02 hrs.)</p> <p>215. End milling with polar coordinates. (04 hrs.)</p> <p>216. Part programs & Simulation Automatic Mode Execution of CNC Machine for the exercise on End milling with polar coordinates and practical on Simple drilling-G 81. (06 hrs.)</p> <p>217. Determining and entering wear offsets. (03 hrs.)</p> <p>218. Restarting machine from power shutdown or sudden stoppage. (01 hr)</p> <p>219. Program transfer to machine through electronic media – USB and flash drive. (01 hr)</p> <p>220. Merging the work zero with program zero point, geometry and wear offset correction. (02 hrs.)</p> <p>221. Practical on Chamfer and counter-sink drilling. (02 hrs.)</p> <p>222. Carryout Deep hole drilling G 83. (03 hrs.)</p> <p>223. Perform Threading and tapping</p> | <p>offsets in offsets page.</p> <p>Effects of sudden machine stoppage due to power shutdown or use of emergency stop. Restarting machine from sudden stoppage.</p> <p>Means of program transfer through electronic media.</p> <p>Productivity concepts, cycle time, machine down time, causes of down time - breaks, machine breakdown, inspection, part loading and unloading, chip cleaning. Effect of down time on profitability, reducing down time.</p> <p>Machine hour rate, components of machine hour rate - principal repayment, interest, overheads (power, tooling, space, salaries, indirect expenses). Calculation of machining cost, cost of down time.</p> <p>(27 hrs.)</p> |
|--|--|--|--|

| | | | |
|--|---|---|---|
| | | <p>G 84. (06 hrs.)</p> <p>224. Carryout Boring cycles G 85 - G 89. (08 hrs.)</p> <p>225. Preparations of part programs for thread cutting/thread milling for CNC machining centres.(06 hrs.)</p> <p>226. Drilling milling patterns, Thread milling etc. (03 hrs.)</p> <p>227. Circular and rectangular pockets machining. (03 hrs.)</p> <p>228. Calculation of machine hour rates for typical CNC lathe and VMC.(05 hrs.)</p> <p>229. Estimation of cycle time for parts with face milling, side milling, drilling, tapping operations. (05hrs.)</p> <p><i>(First 60% of the practice is on CNC machine simulator, followed by 40% on machine.)</i></p> | |
| | | <p>230. Prepare different types of documentation as per industrial need by different methods of recording information. (25 hrs.)</p> | <p>Machine productivity concepts – cycle time, down time, cycle time estimation.</p> <p>Costing - machine hour rate, machining cost, tool cost, cost of down time.</p> <p>Importance of Technical English terms used in industry. Technical forms, process sheet, activity log, job card, in industry-standard formats.(09hrs.)</p> |
| <p>Professional Skill 50 Hrs.;</p> <p>Professional Knowledge 18 Hrs.</p> | <p>Plan and perform simple repair, overhauling of different machines and check for functionality.</p> | <p>231. Perform Periodic Lubrication system on Machines. (10 hrs.)</p> <p>232. Perform simple repair work.(15hrs.)</p> <p>233. Perform the routine maintenance with check list.</p> | <p>Lubricating system-types and importance. (09hrs.)</p> <p>Maintenance: Definition, types and its necessity.</p> |

| | | | |
|---|--|---|---|
| | [<i>Different Machines - Drilling Machine, milling machine and Lathe</i>] | (05hrs.) 234. Inspection of Machine tools such as alignment, leveling etc. (10 hrs.) 235. Accuracy testing of machine tools such as geometrical parameters.(10 hrs.) | System of symbol and colour coding. Possible causes for failure and remedies. (09hrs.) |
| Professional Skill 100Hrs; Professional Knowledge 36Hrs. | Set the different machining parameters and cutters to prepare components by performing different milling operation and indexing. [<i>Different machining parameters - feed, speed and depth of cut. Different components - end mill, bevel gear, cam, worm & worm wheel</i>] | 236. Cutting teeth on helical slab/ cylindrical cutter and end mill cutter with an accuracy of +/- 0.05 mm. (20 hrs.) 237. Cutting bevel gears on a milling machine with an accuracy of +/-0.05 mm. (20 hrs.) 238. Cutting a plate cam with angular setting in milling machine with an accuracy of +/-0.05 mm. (20 hrs.) 239. Cutting worm wheel on a milling machine with an accuracy of +/- 0.05 mm. (20 hrs.) 240. Cutting worm thread on a milling machine with an accuracy of +/- 0.05 mm. (20 hrs.) | Calculations for cutting helical slab/ cylindrical cutter. Calculations for cutting End Mill cutter. (07hrs.) Bevel gear-elements, types, application, calculation for cutting bevel gear. (07 hrs.) Cam-types, elements & application, Plate cam-manufacturing & calculations. Drum cam- its calculation, advantages, types of follower & its purposes. (07hrs.) Worm wheel-application, elements & calculation, Worm-calculation.(07hrs.) Types of Keys and their uses. Variation - types and causes. Testing of Gear and error. (08hrs.) |

In-plant training/ Project work (Any Project to be done involving CNC machine also)

Broad area:

- Socket with Split Collet
- Screw Jack
- Crank Shaft with Taper Sleeve
- Crank and slotted link mechanism
- Stub arbor with collet and nuts
- Compound gear train

SYLLABUS FOR CORE SKILLS

| |
|---|
| 1. Workshop Calculation & Science (Common for two year course) (80Hrs. + 80 Hrs.) |
| 2. Engineering Drawing (Common for Group-II (Mechanical Trade Group))(80Hrs. + 80 Hrs.) |
| 3. Employability Skills (Common for all CTS trades) (160Hrs. + 80 Hrs.) |

Learning outcomes, assessment criteria, syllabus and Tool List of Core Skills subjects which is common for a group of trades, provided separately in www.bharatskills.gov.in

| LIST OF TOOLS AND EQUIPMENT | | | |
|---|--|--|-----------------|
| MACHINIST (For batch of 20 Candidates) | | | |
| S No. | Name of the Tools & Equipment | Specification | Quantity |
| A. TRAINEES TOOL KIT | | | |
| 1. | Steel rule | 30 cm graduated both in English & Metric units | 21 nos. |
| 2. | Outside spring caliper | 150 mm | 15 nos. |
| 3. | Inside spring caliper | 150 mm | 15 nos. |
| 4. | Hermaphrodite caliper | 150 mm | 15 nos. |
| 5. | Divider spring | 150 mm | 15 nos. |
| 6. | Centre Punch | 100 mm | 15 nos. |
| 7. | Hammer | B.P. 0.5 kg | 15 nos. |
| 8. | Cold chisel flat | 25 x 200 mm | 21 nos. |
| 9. | File flat bastard | 300 mm | 21 nos. |
| 10. | File flat | 2nd cut 250 mm | 21 nos. |
| 11. | File flat smooth | 200 mm | 21 nos. |
| 12. | Screw Driver | 10 X 200 mm | 21 nos. |
| 13. | Combination Plier | 150 mm | 15 nos. |
| 14. | Safety glasses | | 21 nos. |
| B. INSTRUMENTS AND GENERAL SHOP OUTFIT | | | |
| 15. | Surface plate | 400 mm x 400mm grade | 1 no. |
| 16. | Marking off table | 1200 x 1200 x 600 mm high with stand | 1 no. |
| 17. | Scribing block universal | 300 mm | 2 nos. |
| 18. | V- Block | 100/7 – 80 – A | 2 nos. |
| 19. | Try square | 300 mm | 2 nos. |
| 20. | Outside spring caliper | 200 mm | 2 nos. |
| 21. | Divider spring | 200 mm | 2 nos. |
| 22. | Inside spring caliper | 200 mm | 2 no. |
| 23. | Straight edge steel | 1 meter | 1 no. |
| 24. | Straight edge steel | 500 mm | 1 no. |
| 25. | Steel tape | 2 meter in case | 1 no. |
| 26. | Steel rule | 60 cm graduated both in English & Metric units | 2 nos. |
| 27. | Spirit level | 2V 250, 05 meter | 1 no. |

| | | | |
|-----|--|--|------------------|
| 28. | Hammer | B.P. 800 gms with handle | 7 nos. |
| 29. | Screw driver, heavy duty | 300 mm with handle | 7 nos. |
| 30. | Hammer lead | 1 kg. | 2 nos. |
| 31. | Spindle blade screw driver | 100 mm | 7 nos. |
| 32. | Allen Hexagonal keys | 2.5 to 12 | 2 sets |
| 33. | Spanner D.E. | series 2 (set of 7 pieces) | 10 sets |
| 34. | Adjustable spanner | 300 mm | 2 nos. |
| 35. | Reduction sleeve Morse | 1-1, 3-1, 4-1, 4-2, 5-1, 5-2, 6-1, | 2 nos. each |
| 36. | Angle plate size | 200 x 100 x 200 mm | 2 nos. |
| 37. | Angle plate adjustable | 250 x 150 x 175 mm | 2 nos. |
| 38. | Solid parallels in pairs (different sizes) in Metric | | 20 pairs |
| 39. | Oil Can pressure feed | 500 mg | (assorted) |
| 40. | Oil stone | 150 x 50 x 25 mm | 10 nos. |
| 41. | Number drills H.S.S. (parallel shank) | | 2nos. |
| 42. | Punch letter set. | 3 mm | 1 no. |
| 43. | Punch number set | 3 mm | 1 no. |
| 44. | Twist drills | 3 mm to 13 mm in step of 0.5 mm (parallel shank) | 1set |
| 45. | Drill Chuck | 0-13 mm with taper shank | 2set |
| 46. | Centre drill | A 1 to 5 | 1no. |
| 47. | Grinding wheel dresser (diamond) | | 2set |
| 48. | Grinding wheel dresser Huntington type | | 1no. |
| 49. | Clamps C | 100 mm | 2 nos. |
| 50. | Clamps C | 200 mm | 2nos. |
| 51. | Tap and Die set in box metric pitch | (6 mm to 12 mm) | 2nos. |
| 52. | Drill H.S.S. taper shank | (6 mm to 12 mm in step of 0.5 mm) | 1set |
| 53. | File Half round | 2nd cut 250 mm | 7 nos. |
| 54. | File triangular smooth | 200 mm | 7 nos. |
| 55. | Needle file set | | 7 nos. |
| 56. | File square | 2nd cut 250 mm | 1no. |
| 57. | Reamer | 6 mm to 25 mm by 1 mm | 7 nos. |
| 58. | Reamer adjustable | 10 mm to 15 mm length 75 mm | 1set |
| 59. | Tool bits | H.S.S. 6 mm square | 1 dozen |
| 60. | Tool bits | H.S.S. 10 mm square | 1 dozen |
| 61. | Tool bits holder (Armstrong) L.H | | 1 dozen |
| 62. | Tool bits holder (Armstrong) R.H. | | 7 nos. |
| 63. | Assorted tools and bit holders for lathe, shaper, slotter& planner in different shapes and sizes | | 4nos.as required |

| | | | |
|-----|--|---------------------------------|--------|
| 64. | Hacksaw frame adjustable | 250-300 mm with blades | 2nos. |
| 65. | Table chuck | 75 mm jaw swivel base | 1no. |
| 66. | Bench vice | 100 mm jaw | 2 nos. |
| 67. | Machine vice | 200 mm swivel base | 4nos. |
| 68. | Machine Vice | Swivel Base -150 mm | 2nos. |
| 69. | Hand vice | 50 mm jaw | 2nos. |
| 70. | Radius turning attachment | | 1no. |
| 71. | Angle turning attachment | | 1no. |
| 72. | Compound angle vice (standard sine) | | 1no. |
| 73. | Universal Machine Vice | 100 mm | 1no. |
| 74. | Universal Table Angle Plate | 150 X 150 X 150 mm | 1no. |
| 75. | Shaper tool holder turret type to suit the machine | | 2nos. |
| 76. | Base chuck for slotter to suit the machine | | 1no. |
| 77. | Shaper indexing center to suit the machine | | 1no. |
| 78. | Knurling tools | (set of 3) straight and diamond | 1each |
| 79. | Plier cutting | 200 mm | 2nos. |
| 80. | Carbide tipped tools of different sizes and shapes (throw away tips) | | 2sets |
| 81. | Hand hammer | 1 kg With handle | 2nos. |

Tool list for Electrical and Sensors:

i) Tool list for Electrical

| | | | |
|-----|-------------------------|---|--------|
| 82. | Digital Multimeter | 0 to 500 V | 2 nos. |
| 83. | Variable Resistance Box | Resistors With 220Ω, 150Ω, 1kΩ, 33Ω, 100Ω, 1.2Ω | 1 each |
| 84. | DC Battery With Cap | 9V | 1 no. |
| 85. | Dual Power Supply | (230V, 50Hz, Fuse-800mA) | 1 no. |
| 86. | Solder Iron | (350V), Solder Lead, PCB Board (Groove Board), Solder Wick | 1 set |
| 87. | Inductor | (400 Turns, 200 Turns, 600 Turns, 1200 Turns), I-Core, E-Core, U-Core, Laminated Core | 1 each |
| 88. | Relay | (5V), LED (5V) | 1 no. |
| 89. | Function Generator | (230V, 50Hz, Watts-12VA, Fuse-150mA) | 1 no. |
| 90. | Bread Board | | 1 no. |
| 91. | Synchronous Motor | (240V, 60rpm), Capacitor For Synchronous Motor (0.8mf ± 5% 450 VAC) | 1 no. |

| | | | |
|-----|-------------|--|-------------|
| 92. | Power Chord | Connecting Probes, Single Strand & Multi strand Wires. | As required |
|-----|-------------|--|-------------|

ii) Tool list for Sensors

| | | | |
|-----|-----------------------------|--|-------|
| 93. | Power Supply | (0-30V DC, 3A) | 1 no. |
| 94. | Sensor Kit | | 1 set |
| | I. Mounting Plate | | |
| | II. Power Distribution Box | (24V DC, 4A) | |
| | III. Counter Box | (10-30V DC/0.05A) | |
| | IV. Indication Box | (24V Dc) | |
| | V. Material Box | | |
| | VI. Inductive Sensor | (10-30 V DC, PNP, NO, 5mm (Range)) | |
| | VII. Capacitive Sensor | (10-30 V Dc, PNP, NO, 2-8mm(Range)) | |
| | VIII. Magnetic Sensor | (10-60 V DC , PNP, NO, 60mm (Range)) | |
| | IX. Ultrasonic Sensor | (20-30 V DC, PNP, NO, 80-300mm(Range)) | |
| | X. Connecting Wires | | |
| | XI. Motor With Control Unit | (24V DC,1A) | |

C. MILLING CUTTERS

| | | | |
|------|---------------------------------------|---|--------|
| 95. | Milling Cutter - Cylindrical Cutter | Ø 63 mm, 90 mm Length and 27 mm Bore Diameter | 3nos. |
| 96. | Milling Cutter - Cylindrical Cutter | Ø 80 mm, 90 mm Length and 27 mm Bore Diameter | 3 nos. |
| 97. | Milling Cutter | Side and face cutter dia 100 X 10 X 27 mm | 2 nos. |
| 98. | Milling Cutter | Side and face cutter dia 100 X 12 X 27 mm | 3 nos. |
| 99. | Milling Cutter | Side and face cutter dia 160 X 10 X 27 mm | 2 nos. |
| 100. | Milling Cutter | Side and face cutter dia 160 X 16 X 27 mm | 2 nos. |
| 101. | Milling Cutter - Side and face cutter | dia 200 X 20 X 27 mm | 3 nos. |
| 102. | Milling Cutter - Side and face cutter | dia 80 X 8 X 27 mm | 2 nos. |
| 103. | Milling Cutter - Equal Angle Cutter | 45°/100 mm x 27 mm bore dia | 2 nos. |
| 104. | Milling Cutter - Equal Angle Cutter | 60°/100 mm x 27 mm bore dia | 2 nos. |
| 105. | Milling Cutter - Equal Angle Cutter | 90°/100 mm 27 mm bore dia | 2 nos. |
| 106. | Milling Cutter - Double Angle Unequal | Cutter 50 X 12 X 27 mm bore dia 55° | 2 nos. |
| 107. | Milling Cutter - Double Angle Unequal | Cutter 50 X 12 X 27 mm bore dia 60° | 2 nos. |
| 108. | Milling Cutter - Double Angle Unequal | Cutter 63 X 18 X 27 mm bore dia 70° | 2 nos. |
| 109. | Milling Cutter - Double Angle Unequal | Cutter 63 X 18 X 27 mm bore dia 75° | 1 no. |

| | | | |
|------|--|--|-------------|
| 110. | Milling Cutter - Single Angle | Cutter 63 x 18 x 45° RH 27 mm bore dia | 1 no. |
| 111. | Milling Cutter - Single Angle | Cutter 63 x 18 x 45° LH 27 mm bore dia | 1 no. |
| 112. | Milling Cutter - Single Angle | Cutter 63 x 18 x 60° LH 27 mm bore dia | 1 no. |
| 113. | Milling Cutter - Single Angle | Cutter 63 x 18 x 60° RH 27 mm bore dia | 1 no. |
| 114. | Milling Cutter - Slitting Saw Cutter | \varnothing 75 x 3 X \varnothing 27 mm | 2 nos. |
| 115. | Milling Cutter - Slitting Saw Cutter | \varnothing 100 x 6 X \varnothing 27 mm | 2 nos. |
| 116. | Milling Cutter - Shell End Mill | \varnothing 50 x 36 x 27 mm, Preferably Inserted Tip Type | 2 nos. |
| 117. | Milling Cutter - Shell End Mill | \varnothing 75 mm x 50 x 27 mm, Preferably Inserted Tip Type | 2 nos. |
| 118. | Milling Cutter - Parallel Shank end mills | \varnothing 6, \varnothing 10 and \varnothing 16 are (double fluted), \varnothing 20 mm & \varnothing 25mm (four fluted) | 4 nos. each |
| 119. | Milling Cutter - T Slot Cutter with Parallel Shank | \varnothing 17.5 x 8 mm Width x Diameter of shank 8 mm | 2 nos. |
| 120. | Milling Cutter - Concave | \varnothing 63 x 6 radius x 27 mm Bore Diameter | 1 nos. |
| 121. | Milling Cutter - Convex | \varnothing 63 x 6 radius x 27 mm Bore Diameter | 1 nos. |
| 122. | Milling Cutter - Disc type form | (involutes form - 2 module, 20° pressure angle) | 1 set |

D. MEASURING INSTRUMENTS

| | | | |
|------|------------------------|---|--------|
| 123. | Micrometer outside | 0-25 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 4 nos. |
| 124. | Micrometer outside | 25-50 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 2 nos. |
| 125. | Micrometer outside | 50-75 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 1 no. |
| 126. | Micrometer outside | 75-100 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 1 no. |
| 127. | Micrometer depth gauge | 0-200 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 1 no. |

| | | | |
|------|--------------------------------|---|---------|
| 128. | Digital micrometer | 0-25 mm Reading 0.01 mm with NABL Accredited lab. Certificate | 1 no. |
| 129. | Vernier Caliper | Depth 200 mm /8 inches with metric & inch scale (L.C. = 0.02mm) with NABL Accredited lab. Certificate | 11 nos. |
| 130. | Direct reading vernier caliper | 0- 300 (direct reading with dial) | 1 no. |
| 131. | Digital vernier caliper | 0- 300 mm | 1 no. |
| 132. | Vernier height gauge q | 250 mm | 1 no. |
| 133. | Vernier gear tooth caliper | | 1 no. |
| 134. | Combination set | with 300 mm rule | 2 sets |
| 135. | Vernier bevel protractor | with 150 m blade | 1 no. |
| 136. | Bevel gauge | 200 mm | 1 no. |
| 137. | Telescopic Gauge | 8 mm to 150 mm | 1 set |
| 138. | Sine Bar | 200 mm | 1 no. |
| 139. | Universal Dial Test Indicator | Plunger Type - Range 0 - 10 mm, Graduation 0.01 mm complete with Clamping Devices and Magnetic Stand | 1 no. |
| 140. | Centre Gauge com. | 60°, 55° and 29° | 1 no. |
| 141. | Gauge Slip Box | Metric - 87 Pieces Set | 1 set |
| 142. | Gauge Screw Pitch | Metric -0.25 to 6 mm | 2 sets |
| 143. | Gauge - Radius Set | 1 mm to 25 mm by 0.5 mm | 1 set |
| 144. | Limit plug gauges | 5 mm to 25 mm by 2.5 mm | 1 set |
| 145. | Ring gauges | 5 mm to 25 m by 2.5 mm (GO & NO GO) | 1 set |
| 146. | Taper gauge | M.T. No. 1, 2, 3, 4 & 5 | 1 set |
| 147. | Gauge Feeler / Thickness | 0.05 mm to 0.3 mm by 0.05 and 0.4 mm to 1 mm by 0.1 mm - 13 leaves | 1 no. |
| 148. | Planer gauge standard size | | 1 no. |
| 149. | Magnifying glass | 75 mm | 2 nos. |

E. FURNITURE

| | | | |
|------|-------------------------------|----------------------|-------|
| 150. | Steel lockers for 14 trainees | | 1 no. |
| 151. | Steel chair for Instructor | | 1 no. |
| 152. | Steel table for Instructor | | 1 no. |
| 153. | Work bench | 2400 x 1200 x 900 mm | 1 no. |
| 154. | Steel cup board | 180 x 90 x 45 mm | 1 no. |
| 155. | Steel cup board | 120 x 60 x 45 cm | 1 no. |
| 156. | Black board with easel | | 1 no. |

| | | | |
|---|--|---|--------|
| 157. | First Aid Box | | 1 no. |
| F. GENERAL MACHINERY SHOP OUTFIT | | | |
| 158. | Slotter | 180 mm stroke (motorized) with all attachments, Motor Capacity - 0.75 KW | 1 no. |
| 159. | SS and SC centre lathe (all geared) with specification as: | Centre height 150 mm and centre distance 1000 mm along with 4 jaw chuck, Taper turning attachment, steady, auto feed system, safety guard, motorized coolant system, with lighting arrangement and set of lathe tools, Motor Capacity - 3.5 KW | 3 nos. |
| 160. | Tool and cutter grinder | 250 mm to admit 450 m between center-fully motorized work head supplied with tool rest of different types table clamps and other attachments, 3.0KW | 1 no. |
| 161. | Drilling machine pillar | 20 mm capacity with drill chuck & key, 0.75 KW | 1 no. |
| 162. | Radial drill | 1200 mm area motorized with tapping attachment, 3.6KW | 1 no. |
| 163. | Silicon carbide grinder for carbide tipped tools | | 1 no. |
| 164. | Double ended Pedestal Grinder | with 178 mm wheels(one fine and one rough wheel), 0.75 KW | 1 no. |
| 165. | Universal Milling machine with minimum specification as: | <p>Table Length x width 1200 x 300 mm having motorized up & down movement along with auto feed arrangement and with Motor Capacity - 7.5KW following attachments such as:</p> <p>a. Vertical head</p> <p>b. Slotting attachment</p> <p>c. Rack cutting attachment</p> <p>d. Rotary table</p> <p>e. Dividing head</p> <p>f. Adaptors, arbors and collects etc. for holding straight shank drills and cutters from 3 mm to 25 mm.</p> | 2 nos. |

| | | | |
|------|---|---|-------------------------|
| 166. | Horizontal Milling Machine with minimum specification as: | Table Length x width 1200 x 300 mm having motorized up & down movement along with auto feed arrangement and 150mm Universal vice, Motor Capacity - 7.5KW | 1 no. |
| 167. | Vertical Milling Machine with minimum specification as: | Table Length x width 1200 x 300 mm having motorized up & down movement along with auto feed arrangement along with 150mm universal vice, Motor Capacity - 5.5KW | 1 no. |
| 168. | Surface Grinding Machine with minimum specification as: | Grinding machine plain surface, wheel dia. 175 mm (or near) with reciprocating table having longitudinal table traverse 200 mm (or near) fully automatic and fitted with adjustable traverse stops, machine to be fully motorized and fitted with ace guards and pumps, tank and pump fittings and also to be supplied with magnetic chuck 250 x 112 mm. Diamond tool holder, set of spanners, grease gun, oil-can and spare grinding wheel for general purpose grinding, Motor Capacity - 3.0 KW | 1 no. |
| 169. | Cylindrical grinder | Max. grinding length – 300 mm Height of centre – 130 mm Max. distance between centers – 340 mm | 1 no. |
| 170. | CNC lathe/CNC turn Centre | [specification as per Annex-A & A (I)] | As per Annex-A & A (I) |
| 171. | CNC Vertical Machining Centre | [specification as per Annex-A & A (II)] | As per Annex-A & A (II) |
| 172. | a) Simulator b) Desktop Computers | [specification as per Annex-A & A (II)] | As per Annex-A & A (II) |
| 173. | CNC milling tools | [specification as per Annex-A & A (II)] | As per Annex-A & A (II) |

| | | | |
|------|--------------------------------|--|------------------------|
| 174. | CNC hole machining tools | [specification as per Annex-A &A (II)] | As per Annex-A &A (II) |
| 175. | LCD projector/ large screen TV | | 1 no. |

NOTE:

1. All tools must be hardened, toughened and grounded.
2. No additional items are required to be provided to the batch working in the second and third shift except the items under trainees toolkit.
3. Institute having centralized computer lab may use the existing infrastructure to impart simulation training & in that case not required to procure item no. 172 (b) marked with (*) in Annexure - A.
4. Internet facility is desired to be provided in the class room.

| CNC Lab | | | | | | |
|------------------------------------|--|----------|--|-----|-------------|--------------------|
| Space and Power Requirement | | | | | | |
| S.N . | Name of Item | Category | Quantity | | Unit | Remark |
| 1 | Space Required (in Sq. Meter): | | 40 (For below 8(4+4) units) 65 (For above 8(4+4) units) | | | |
| 2 | Power Required (in KW): | | 6 (For below 4(2+2) units) 12.5 (For 4(2+2) & above units) | | | |
| CNC Lab Infrastructure | | | | | | |
| 1 | CNC turn Centre [specification as per Annex-A (I)] | Machine | 1 | NIL | No. | Refer Instructions |
| 2 | CNC Vertical Machining Centre [specification as per Annex-A (II)] | Machine | 1 | NIL | No. | Refer Instructions |
| 3 | Multimedia based simulator for CNC technology and interactive CNC part programming software for turning & milling with virtual machine operation and simulation using popular operation control system such as Fanuc, Siemens, etc. (Web-based or licensed based) (12 trainees + 1faculty) <i>With help of this software the trainees should be able to Write, Edit, Verify & Simulate</i> | Software | 10 | 10 | users | |
| 4 | Desktop Computers compatible to run simulation software with LAN facility | Machine | 10 | 10 | No. | |
| 5 | Printer - (Laser/ Inkjet) | Machine | 1 | 1 | No. | Optional |
| 6 | Air Conditioner - Split - 2.0 Ton | Machine | 1 | 1 | No. | Optional |

| | | | | | | |
|---------------------|---|---------|---|---|-----|----------|
| 7 | UPS - 2 KVA | Machine | 1 | 1 | No. | Optional |
| Instructions | | | | | | |
| a) | <p>For units less than 4(2+2), ITI can enter into MoU with Facilitator who will provide the Training to Trainees admitted and undergoing training in above Trades.</p> <p>The Facilitator should be Government ITI, Engineering/ Polytechnic College, Recognized Training Institute, Industry, Private ITI (Facilitators are arranged in descending preference order). The Facilitator should have all the above training infrastructure. (Including CNC Machines and Multimedia software for CNC). If any of the facility is not available with facilitator then the same should be provided in the ITI. The facilities of CNC should be made available to ITI trainees at the time of examination. This clause should be part of MoU to be signed. The training provider must be within the range of 15 Km or within city whichever is less.</p> | | | | | |
| b) | <p>NOTE: - <i>"It is on the discretion of the ITI that it may procure CNC simulation software with extra features in addition to the specification defined against CNC simulator".</i></p> | | | | | |

Detailed specification for 2 axis CNC Lathe/ Turning centre

| 1. MACHINE CAPACITY | | Units | Size |
|----------------------------|--|--------------|---|
| a | Swing over bed | mm | 350 or higher |
| b | Turning diameter | mm | 135 or higher |
| c | Distance between centres | mm | 250 or higher |
| d | Maximum Turning Length | mm | 200 or higher |
| e | Slant angle (bed or saddle) | degrees | 30 to horizontal or higher |
| f | Cast Iron grade for bed and saddle | | Grade 25 or equivalent |
| g | Machine net weight | kg | 1500 or higher |
| 2. SPINDLE | | | |
| a | Spindle nose | | A2-4 / A2-5 |
| b | Bore through Spindle | mm | 35 or higher |
| c | Maximum spindle speed | RPM | 4000 or higher |
| d | Spindle power, continuous | kW | 3.7 or higher |
| e | Minimum spindle speed @ full power | RPM | 1200 or lower |
| f | Ty ^{eo} drive | | AC servo spindle motor (digital) |
| g | Chuck size | mm | 135 or higher |
| h | Chuck type | | 3-jaw hydraulic, Hydraulic Power operated |
| i | Spindle bearing class | | P4 class |
| j | Front Bearing Dia. (ID) | mm | 60 or higher |
| 3. AXES | | | |
| a | X - axis Travel | mm | 100 or higher |
| b | Z - axis Travel | mm | 200 or higher |
| c | Programmable feed rate- X & Z | mm/min | 10 - 10000 |
| d | Minimum programmable command - X & Z | mm | 0.001 |
| e | Rapid traverse - X & Z | m/min | 20 or higher |
| f | Type of drive - X & Z | | AC servo motor |
| g | Motor torque - Z axis | Nm | 3 or higher |
| h | Motor torque - X axis | Nm | 3 or higher with brake |
| i | Ball screw - Z & X axes (diameter x pitch) | mm | 25 x 10 or higher |
| j | Ball screw finish - Z & X axes | | Hardened and Ground |
| k | Ball screw class- Z & X axes | | Pre-loaded with C3 or better |
| l | Guideway type - Z & X axes | | Antifriction linear motion guideway |
| m | Guideway size - Z & X axes | mm | 25 or higher |
| n | Guideway precision - Z & X axes | | P class |
| 4. TURRET | | | |

| | | | | | |
|------------|---|--|-------------------|--|--|
| a | Bi-Directional Tool Turret | Electromechanical/Servo/Hydraulic | | | |
| b | No. of Tools | Nos. | 8 or higher | | |
| c | Tool shank size | mm | 20 x 20 or higher | | |
| d | Maximum boring bar diameter | mm | 25 or higher | | |
| 5. | TAIL STOCK | | | | |
| a | Quill Diameter | mm | 65 or higher | | |
| b | Quill Stroke | mm | 70 or higher | | |
| c | Quill Taper | MT-4 or higher | | | |
| d | Quill actuation | Hydraulic | | | |
| e | Tail stock base travel manual | mm | 150 or higher | | |
| f | Thrust (Adjustable) | Kgf | 300 or higher | | |
| 6. | COOLANT/LUBRICATION/HYDRAULIC | | | | |
| a | Coolant tank capacity | Litres | 100 or higher | | |
| b | Coolant pump motor | kW | 0.37 | | |
| c | Coolant pump output | LPM | 20 or higher | | |
| d | Lubrication type | Automatic centralized lubrication | | | |
| e | Lubrication tank capacity | Litres | 3 or higher | | |
| f | Hydraulic pump discharge | LPM | 8 or higher | | |
| g | Hydraulic tank capacity | Litres | 30 or higher | | |
| h | Hydraulic system pressure maximum | Bar | 30 or higher | | |
| 7. | ACCURACY as per ISO 230-2 | | | | |
| a | Positioning accuracy X & Z axes | mm | 0.012 | | |
| b | Repeatability X & Z axes | mm | ± 0.007 | | |
| c | Geometrical Alignment | ISO 13041-Part 1 | | | |
| d | Accuracy of finish test piece | ISO 13041-Part 6 | | | |
| 8. | CNC SYSTEM | | | | |
| a | Control System | FANUC/Siemens | | | |
| b | System resolution | 0.001 mm | | | |
| c | Motors & Drives | Compatible with CNC controllers mentioned above | | | |
| d | Tool number display | On machine operator panel | | | |
| e | Machine control panel | Feed rate, spindle speed override knob | | | |
| f | MPG (Manual pulse generator) | On machine operator panel | | | |
| g | CNC features | Graphic Simulation, Programming help, Tool Offsets, MDI, | | | |
| | Absolute/ Incremental Positioning, Pitch error compensation | | | | |
| 9. | POWER SOURCE | | | | |
| a | Mains supply (± 10 %) | 415 V, 3 Ph., 50Hz | | | |
| b | Total connected load requirement | Approx. 15 kVA | | | |
| 10. | STANDARD EQUIPMENT | | | | |
| a | Voltage Stabilizer | 15 kVA | | | |

| | | | |
|---|--|-------------|--|
| b | Air conditioning unit for electrical cabinet | As required | |
| | Backup CD for PLC Ladder Logic | 1 no. | |
| d | Machine lighting | 1 no. | |
| e | Levelling pads and jacking screws | 4 no. | |
| f | Operation manual | 1 no. | |
| g | Maintenance manual | 1 no. | |
| h | Installation kit | 1 no. | |
| i | Maintenance tool kit | 1 no. | |
| j | 6 rack trolley (Size 25"x22"x45")with lock | 1 no. | |
| k | Machine guarding with safety compliance | 1 no. | |

11. MAKES OF CRITICAL MACHINE TOOL COMPONENTS

| | | |
|---|----------------------------|---|
| a | Linear Motion Guideways | HIWIN/THK/PMI/STAR |
| b | Ball Screws | HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK |
| c | Spindle Bearings | RHP/NSK/FAG/SKF/NRB |
| d | Turret | PRAGATI/BARUFFALDI/SAUTER/DUPLOMATIC |
| e | Hydraulic Chuck & Cylinder | GMT/KITAGAWA/AIRTECH/PRAGATI/ROHM |
| f | Hydraulic Power Pack | YUKEN/FLUID/REXROTH |
| g | Panel AC | WERNER FINLEY/RTTAL/LEXTECNOID |
| h | Stabilizer | NEEL/SERVOMAX/CONSUL/FARMAX/EQUIVALENT |
| i | Lubrication | CENLUBE/DROPCO/EQUIVALENT |
| j | Coolant Pump | RAJAMANE/GRUNDFOS |
| k | Cutting tools and holders | SANDVIK/TAEGUTEC/KENNAMETAL/SECO/ISCAR/MITSUBISHI |

12. Cutting tools & tool holders

| | | Quantity | | Inserts | Quantity | |
|----|---|----------|---------|----------|----------|---------|
| | | 1 year | 3 years | | 1 year | 3 years |
| a) | External turning holder, insert type, MWLNL | 2 | 4 | WNMG | 20 | 40 |
| b) | External turning holder, insert type, MVJNL | 2 | 4 | VNMG | 10 | 20 |
| c) | External turning holder, insert type, PDJNR | 2 | 4 | DNMG | 10 | 20 |
| d) | Threading Holder - External, LH | 2 | 4 | 0.5 to 2 | 10 | 30 |
| e) | Threading Holder - Internal, LH | 2 | 4 | 0.5 to 2 | 10 | 30 |
| f) | Grooving Holder External, LH | 2 | 4 | 3 mm | 10 | 30 |
| g) | Grooving Holder Internal, LH | 2 | 4 | 3 mm | 10 | 30 |
| h) | Parting off Holder for insert width 2 mm, LH | 2 | 4 | 2 mm | 10 | 30 |
| i) | Boring holder SCLCL for minimum bore dia. 12 mm | 2 | 4 | WCMT | 20 | 60 |
| j) | Boring holder SCLCL for minimum bore dia. 16 mm | 2 | 4 | CCMT | 20 | 60 |
| k) | Internal grooving holder LH, for minimum bore dia. 12 mm. | 2 | 4 | 2 mm | 10 | 30 |

| | | | | | |
|--|--------|--------|------------|---------|---------|
| I) Internal threading holder LH, for minimum bore dia. 12 mm | 2 | 4 | w mm | 10 | 30 |
| m) Insert drill 12.7 mm | 2 | 4 | Suitable e | 10 sets | 30 sets |
| n) Reducing sleeves for internal holders - Dia 12 and 16 mm | 1 set | 2 sets | | | |
| o) Centre drill HSS A 2.5 x 6.3 | 2 | 6 | | | |
| p) Twist drill HSS straight shank, dia 6,8,10,12 mm | 2 Sets | 6 sets | | | |
| q) Collets suitable for the above drills | 1 Set | 2 sets | | | |
| r) Collet Holder | 2 | 4 | | | |
| s) Boring bar holder | 3 | 3 | | | |

| Detailed specification for CNC Vertical Machining Centre | | | |
|---|--------------|-------------------------------------|--|
| 1. MACHINE CAPACITY | Units | Size | |
| a Table size | mm | 500x250 or higher | |
| b Max. load on table | Kg | 150 or higher | |
| c T slot dimension (N x W x P) | mm | 3 x 14 x 100 or higher | |
| d Table height from floor | mm | 800 ~ 900 | |
| e Cast Iron grade for bed and saddle | | Grade 25 or equivalent | |
| f Machine net weight | kg | 1500 or higher | |
| 2. SPINDLE | | | |
| a Spindle nose | | BT30 / BT40 | |
| b Minimum distance (spindle nose to table) | mm | 100 - 150 | |
| d Maximum spindle speed | RPM | 6000 or higher | |
| e Spindle power, continuous | kW | 3.7 or higher | |
| f Type of drive | | AC servo spindle motor (digital) | |
| g Spindle bearing class | | P4 | |
| h Front Bearing Dia. (ID) | mm | 50 or higher | |
| 3. AXES | | | |
| a X - axis Travel | mm | 300 or higher | |
| b Y - axis Travel | mm | 250 or higher | |
| c Z - axis Travel | mm | 250 or higher | |
| d Rapid traverse - X/Y/Z | m/min | 20/20/20 or higher | |
| e Minimum programmable command- X/Y/ Z | mm | 0.001 | |
| f Programmable feed range - X, Y & Z axes | mm/mi n | 10 - 10000 | |
| g Type of drive | | AC servo motor | |
| h Motor Torque - X & Y axes | Nm | 3 or higher | |
| i Motor torque - Z axis | Nm | 6 or higher with brake | |
| j Ball screw - X, Y & Z axes (diameter x pitch) | mm | 25 x 10 or higher | |
| k Ball screw finish - X, Y & Z axes | | Ground and hardened | |
| l Ball screw class - X, Y & Z axes | | Pre-loaded with C3 or better | |
| m Guideways - X, Y & Z axes | | Antifriction linear motion guideway | |
| n Guideways size - X, Y & Z axes | mm | 25 or higher | |
| o Guideway precision - X, Y, & Z axes | | P Class | |
| 4. AUTOMATIC TOOL CHANGER | | | |
| a Number of tool pockets | Nos | 8 or higher | |
| b Max tool diameter | mm | 80 or higher | |
| c Tool selection | | Bi-directional | |

| | | | |
|------------|--|--|--------------------------------------|
| d | Tool shank type | BT30 / BT40 | |
| e | Tool weight max | kg | 2.5 for BT30 / 6 for BT40 |
| f | Tool length max | mm | 100 ~150 for BT30 / 150~200 for BT40 |
| g | Tool change time (chip to chip) | sec | 5 or lower |
| h | Tool clamp & unclamp | Disc Spring & Hydro-Pneumatic | |
| 5. | ACCURACY as per ISO 230-2 | | |
| a | Positioning accuracy for X,Y& Z axes | mm | 0.012 |
| b | Repeatability for X,Y& Z axes | mm | ±0.007 |
| c | Geometrical Alignment | ISO 10791-Part 1 | |
| d | Accuracy of finish test piece | ISO 10791-Part 7 | |
| 6. | CNC SYSTEM | | |
| a | Control System | FANUC/Siemens | |
| b | Motors & Drives | Compatible with CNC controllers as mentioned above | |
| c | System resolution | 0.001 mm | |
| d | Tool number display | On machine operator panel | |
| e | Machine control panel | Feed rate, spindle speed override knob | |
| f | MPG (Manual pulse generator) | On machine operator panel | |
| g | CNC Features | Graphic Simulation, Programming help, Tool Offsets MDI | |
| | | Absolute/Incremental Positioning, Pitch error compensation | |
| 7. | COOLANT/LUBRICATION | | |
| a | Coolant tank Capacity | Litres | 100 or higher |
| b | Coolant pump motor | kW | 0.37 |
| c | Coolant pump output | lpm | 20 or higher |
| d | Lubrication type | Automatic centralized lubrication | |
| e | Lubrication tank capacity | Litres | 3 or higher |
| 8. | AIR COMPRESSOR FOR TOOL UNCLAMP | | |
| a | Compressor Type | Screw type with dryer, filter & air receiver | |
| b | Tank capacity | litres | 200 or higher |
| c | Air Flow | CFM | 10 or higher |
| d | Pressure | bar | 7 max. |
| 9. | POWER SOURCE | | |
| a | Mains supply (± 10 %) | 415 V, 3 Ph., 50Hz | |
| b | Total connected load requirement | Approx. 15 kVA | |
| 10. | STANDARD EQUIPMENT | | |
| a | Voltage Stabilizer | 15 kVA | |

| | | | |
|---|--|--------|--|
| b | Air conditioning unit for electrical cabinet | 1 no. | |
| c | Backup CD for PLC Ladder Logic | 1 no. | |
| d | Machine lightning | 1 no. | |
| e | Leveling pads and jacking screws | 4 nos. | |
| f | Operation manual | 1 no. | |
| g | Maintenance manual | 1 no. | |
| h | Installation kit | 1 no. | |
| i | Maintenance tool kit | 1 no. | |
| j | 6 rack tool trolley (Size 25"x22"x45") with lock | 1 no. | |
| h | Machine guarding with safety compliance | 1 no. | |

11. MAKES OF CRITICAL COMPONENTS

| | | |
|---|--|--|
| a | LM guideways | HIWIN/THK/PMI/STAR |
| b | Ball Screws | HIWIN/THK/TSUBAKI/PMI/STAR/HMT/NSK |
| c | Spindle Bearings | RHP/NSK/FAG/SKF/NRB |
| d | ATC | PRAGATI/GIFU |
| e | Panel AC | WERNER FINLEY/RITTAL/LEXTECNOID |
| f | Stabilizer | NEEL/SE RVOMAX/CONSUL/FARMAX |
| g | Lubrication | CENLUBE/DROPCO |
| h | Coolant Pump | RAJAMANE/GRU NDFOS |
| i | Cutting tools and holders | SANDVIK/TAEGUTEC/KEN NAMETAL/SECO/MITSUBISHI |
| j | Air compressor (capacity: 6 kg/cm ² - 300 lpm min.) | GODREJ/ELGI/KAESER/ATLASCOPECO |

12. Cutting Tools & Tool Holders (for BT30 or BT40 as per machine supplied)

| S No. | Item | Quantity | | Inserts | Quantity | |
|-------|--|----------|---------|------------------|----------|-------|
| | | 1 year | 3 years | | 1 year | 3 yrs |
| a. | Face mill 45 degree 63 mm., insert type | 2 | 4 | Suitable inserts | 5 sets | 15 |
| b. | Face mill square shoulder 50 mm., insert type | 2 | 4 | Suitable inserts | 5 sets | 15 |
| c. | Twist drill HSS straight shank 6, 6.7, 8.5, 9.7 | 2 | 4 | | 20 | 60 |
| d. | Spot drill Carbide, dia. 8 mm X 90° | 2 | 4 | | 20 | 60 |
| e. | Drill insert type - 16 mm. | 2 | 4 | Suitable inserts | 10 | 30 |
| f. | Solid carbide Twist drill straight shank - 8 mm | 2 | 4 | | | |
| g. | Solid carbide End mill straight shank - 10, 12 mm dia. | 2 | 4 | | | |
| h. | End mill insert type straight shank - 16 mm dia. | 2 | 4 | Suitable inserts | 10 | 30 |

| | | | | | | |
|----|---|--------|--------|------------------|----|----|
| i. | Machine Taps HSS - M8, M10 | 2 | 4 | | 10 | 30 |
| j. | Solid carbide Reamer straight shank - 10 mm | 2 | 4 | | 10 | 30 |
| k. | Finish boring bar dia. 20 to 25 mm | 1 | 3 | Suitable inserts | 10 | 30 |
| l. | Holder for face mills (Adapter) | 2 | 4 | | 20 | 60 |
| m. | Collets for above drills, reamers, end mills | 2 sets | 4 sets | | | |
| n. | Collet holder suitable for collets | 4 | 4 | | | |
| o. | Side lock holder for 16 mm insert drill | 1 | 2 | | | |
| p. | Machine vice 0-150 mm range - Mechanical type | 1 | 1 | | | |
| q. | C spanner for tightening tools in holder | 1 | 2 | | | |
| r. | Magnetic dial stand | 1 | 2 | | | |
| s. | Mallet | 2 | 4 | | | |
| t. | Tap wrench | 1 | 2 | | | |
| u. | Hands tools set (spanners, Allen keys, etc.) | 1 box | | | | |
| v. | T Nuts, Strap clamps, Clamping Nuts and studs | 1 set | | | | |
| w. | Tap wrench | 1 | 2 | | | |
| x. | Hands tools set (spanners, Allen keys, etc.) | 1 box | | | | |
| y. | T Nuts, Strap clamps, Clamping Nuts and studs | 1 set | | | | |

The DGT sincerely acknowledges contributions of the Industries, State Directorates, Trade Experts, Domain Experts, trainers of ITIs, NSTIs, faculties from universities and all others who contributed in revising the curriculum.

Special acknowledgement is extended by DGT to the following expert members who had contributed immensely in this curriculum.

| List of Expert members contributed/ participated for finalizing the course curricula of Machinist trade held on 16.05.17 at Govt. ITI- Aundh, Pune | | | |
|---|---|--|----------------|
| S No. | Name & Designation Shri/Mr/Ms | Organization | Remarks |
| Industry Experts | | | |
| 1. | Dr. K C Vora, Sr. Dy. Director & Head, Arai Academy | The Automotive Research Association Of India, S.No.102, Vetal Hill, Off Paud Road, Kothrud, Pune | Chairman |
| 2. | Jayanta Patra, Sr. Manager | Micromatic Machine Tools (P) Ltd. 240/241, 11th Main, 3rd Phase, Peenya Industrial Area, Bangalore | Member |
| 3. | Kashinath M. Patnasetty, Head - Application Support Group | Ace Designers Ltd. Plot No. 7&8, II Phase Peenya Industrial Area, Bangalore | Member |
| 4. | Sunil Khodke, Training Manager | Bobst India Pvt. Ltd.,Pirangut, Mulashi, Pune | Member |
| 5. | Lokesh Kumar, Manager, Training Academy | Volkswagen India Pvt. Ltd., Pune | Member |
| 6. | Shriram TatyabaKhaire, Executive Engineering. | Sulzer India Pvt. Ltd.,Kondhapuri, Shirur, Pune | Member |
| 7. | Milind P Desai, Sr. Shift Engineer | Atlas Copco (I) Ltd Dapodi, Pune | Member |
| 8. | Shrikant Mujumdar, DGM | John Deere India Pvt. Ltd., Pune - Nagar Road, Sanaswadi, Pune | Member |
| 9. | G.D. Rajkumar, Director | GTTI, Coimbatore | Member |
| 10. | Milind Sanghai, Team Manager | Alfa Laval India Ltd., Dapodi, Pune | Member |
| 11. | Rajesh Menon, Unit Manager | Alfa Laval India Ltd., Dapodi, Pune | Member |
| 12. | N K A Madhubalan, DGM - QC, QA & SMPS | Sandvik Asia Pvt. Ltd., Dapodi, Pune | Member |
| 13. | Irkar Balaji, Sr. Engineer Mfg. | Premium Transmission Ltd., Chinchwad, Pune | Member |
| 14. | Rajendra Shelke, Sr. Engineer Mfg. | Premium Transmission Ltd.,Chinchwad, Pune - 19 | Member |

| | | | |
|-----|--|---|--------|
| 15. | Bhagirath Kulkarni, Manager Maintenance | Tata Ficosa Auto Sys Ltd., Hinjawadi, Pune | Member |
| 16. | Rohan More, Hr & Admin | Tata Ficosa Auto Sys Ltd., Hinjawadi, Pune | Member |
| 17. | G. Venkateshwaran, TEC Manager- Corporate Responsibility | Cummins India Ltd. | Member |
| 18. | Mahesh Dhokale, Engineer | Tata Toyo Radiator Ltd. | Member |
| 19. | Pankaj Gupta, DGM- HR & IR | Tata Toyo Radiator Ltd. | Member |
| 20. | S K Joshi Head - Business Development | Radheya Machining Ltd Pune- Nagar Road, Sanaswadi, Pune | Member |
| 21. | A L Kulkarni, DGM Mfg. | PMT Machines Ltd., Pimpri, Pune | Member |
| 22. | S V Karkhanis, DGM Planning | PMT Machines Ltd Pimpri, Pune | Member |
| 23. | Kiran Shirasath, Asso. Manager M.E. | Burckhardt Compression Pvt. Ltd., Ranjangaon, Pune | Member |
| 24. | Ajay Dhuri, Manager | Tata Motors Ltd., Pimpri, Pune | Member |
| 25. | Arnold Cyril Martin, DGM | Godrej & Boyce Mfg. Co Ltd., Mumbai | Member |
| 26. | Ravindra L. More | Mahindra CIE Automotive Ind. Ltd. Ursc-Pune | Member |
| 27. | Kushagra P. Patel | NRB Bearings Ltd., Chiklthana Aurangabad | Member |
| 28. | M. M. Kulkarni, Sr. Manager - Tool room | NRB Bearings Ltd., Chiklthana Aurangabad | Member |

DGT & Training Institute

| | | | |
|-----|---------------------------------------|---|---------------------------|
| 29. | Nirmalya Nath, Asst. Director of Trg. | CSTARI, Kolkata | Member cum Co-coordinator |
| 30. | P K Vijayan, Sr Manager Training | Gedee Technical Training Institute, 734 Avinashi Road, Coimbatore | Member |
| 31. | T.P. Ramchandran, Sr. Counselor | GTTI, Coimbatore | Member |
| 32. | Samir Sarkar, T.O. | ATI, Howrah | Expert |
| 33. | Subrata Polley, Instructor | ITI Howrah Homes | Expert |
| 34. | Madhusudan Karmakar, V.I. | ATI, Howrah | Expert |
| 35. | Kartick Dutta, Instructor | ITI Kalyani | Expert |
| 36. | Manirul Islam, Instructor | ITI Gariahat | Expert |
| 37. | J.R. Somvanshi, Instructor | ITI- Aundh, Pune | Member |
| 38. | Amar Prabhu, Principal | Don Bosco, Mumbai | Expert |

ABBREVIATIONS

| | |
|------|--|
| CTS | Craftsmen Training Scheme |
| ATS | Apprenticeship Training Scheme |
| CITS | Craft Instructor Training Scheme |
| DGT | Directorate General of Training |
| MSDE | Ministry of Skill Development and Entrepreneurship |
| NTC | National Trade Certificate |
| NAC | National Apprenticeship Certificate |
| NCIC | National Craft Instructor Certificate |
| LD | Locomotor Disability |
| CP | Cerebral Palsy |
| MD | Multiple Disabilities |
| LV | Low Vision |
| HH | Hard of Hearing |
| ID | Intellectual Disabilities |
| LC | Leprosy Cured |
| SLD | Specific Learning Disabilities |
| DW | Dwarfism |
| MI | Mental Illness |
| AA | Acid Attack |
| PwD | Person with disabilities |

